

Vascular Plants of the Middle Sespe Creek Bioregion, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Acmispon brachycarpus</i> (Bentham) D.D. Sokoloff	Hill Lotus, Short-podded Hosackia	AH	.		Fabaceae	O
<i>Acmispon maritimus</i> (Nuttall) D.D. Sokoloff var. <i>maritimus</i>	Coastal Lotus or Hosackia	AH	.		Fabaceae	C
<i>Acmispon strigosus</i> (Nuttall) Brouillet var. <i>strigosus</i>	Strigose Lotus or Hosackia	AH	.		Fabaceae	C
<i>Acmispon wrangelianus</i> (Fischer & C. Meyer) D.D. Sokoloff	Chile Lotus or Hosackia	AH	.		Fabaceae	S
<i>Acourtia microcephala</i> DC.	Sacapellote	PH	.		Asteraceae	C
<i>Adenostoma fasciculatum</i> Hook. & Arn. var. <i>fasciculatum</i>	Chamise	S	.		Rosaceae	C
<i>Agoseris retrorsa</i> (Bentham) E. Greene	Spear-leaved or Retrors Mountain	PH	.		Asteraceae	C
<i>Allium howellii</i> var. <i>clokeyi</i> Traub	Mount Pinos Onion	PG	.		Alliaceae	O, 1B.3
<i>Allophyllum glutinosum</i> (Bentham) A.D. Grant & V. Grant	Sticky Allophyllum	AH	.		Polemoniaceae	O
<i>Alnus rhombifolia</i> Nuttall	White Alder	T		FACW	Betulaceae	C
* <i>Amaranthus albus</i> L. *	Pigweed Amaranth	AH		FACU	Amaranthaceae	C
<i>Ambrosia acanthicarpa</i> Hooker	Burweed, Annual Bur-sage	AH	.		Asteraceae	C
<i>Amorpha californica</i> Nuttall var. <i>californica</i>	California False Indigo	S		FAC	Fabaceae	C
<i>Amsinckia douglasiana</i> A. DC.	Douglas Fiddleneck	AH	.		Boraginaceae	U, 4.2
<i>Amsinckia menziesii</i> (Lehm.) Nelson & J.F. Macbr. var. <i>menziesii</i>	Common or Menzeis Fiddleneck	AH	.		Boraginaceae	S
<i>Ancistrocarphus filagineus</i> Gray	Woolly Fishhooks	AH	.		Asteraceae	S
<i>Antirrhinum [multiflorum] thompsonii</i> D.J. Keil	Sticky Snapdragon	S	.		Plantaginaceae	O
<i>Aphyllon fasciculatum</i> (Nuttall) Torr. & A. Gray	Clustered Broom-rape	PH	.		Orobanchaceae	O
<i>Aphyllon tuberosum</i> (A. Gray) A. Gray	Chamise Broom-rape	PH	.		Orobanchaceae	O
<i>Apocynum cannabinum</i> L.	Indian Hemp	PH		FAC	Apocynaceae	S
<i>Aquilegia eximia</i> Van Houtte ex Planchon	Van Houtte Columbine	PH		OBL	Ranunculaceae	R
<i>Arctostaphylos glandulosa</i> Eastw. ssp. <i>glandulosa</i>	Eastwood Manzanita	S	.		Ericaceae	C
<i>Arctostaphylos glandulosa</i> ssp. <i>mollis</i> (J.E. Jones) P. Wells	Santa Ynez Mountains Manzanita	S	.		Ericaceae	C
<i>Arctostaphylos glauca</i> Lindley	Bigberry Manzanita	S	.		Ericaceae	C
<i>Artemisia californica</i> Less.	California Sagebrush	S	.		Asteraceae	C
<i>Artemisia douglasiana</i> Besser	Mugwort	PH		FAC	Asteraceae	C
<i>Artemisia dracunculus</i> L.	Tarragon, Dragon Tarragon	PH		(FACW)	Asteraceae	C
<i>Artemisia tridentata</i> Nuttall ssp. <i>tridentata</i>	Great Basin Sagebrush	S	.		Asteraceae	C
<i>Asclepias californica</i> E. Greene ssp. <i>californica</i>	California Milkweed	AH	.		Apocynaceae	O
<i>Asclepias eriocarpa</i> Bentham	Kotolo, Indian Milkweed	PH	.		Apocynaceae	O
<i>Asclepias fascicularis</i> Decne.	Narrowleaf Milkweed	PH		FAC	Apocynaceae	O
<i>Astragalus douglasii</i> (T. & G.) Gray var. <i>douglasii</i>	Douglas Milkvetch	PH	.		Fabaceae	S
<i>Astragalus trichopodus</i> var. <i>phoxus</i> (M.E. Jones) Barneby	Antisell Three-pod Milkvetch	PH	.		Fabaceae	C
* <i>Avena barbata</i> Link. *	Slender Wild Oat	AG	.		Poaceae	C
<i>Baccharis salicifolia</i> (Ruiz Lopez & Pavon) Pers. ssp. <i>salicifolia</i>	Mulefat	S		FAC	Asteraceae	C
<i>Barbarea orthoceras</i> Ledeb.	American Wintercress	BH		FACW	Brassicaceae	O
<i>Boechera arcuata</i> (Nutt.) Windham & Al-Shehbaz	Few-flowered Rock Cress	PH	.		Brassicaceae	C
<i>Boechera sparsiflora</i> (Nutt.) Dorn	Few-flowered Rock Cress	PH	.		Brassicaceae	O
<i>Brickellia nevini</i> Gray	Nevin Brickellbush	S	.		Asteraceae	C
* <i>Bromus diandrus</i> Roth. ssp. <i>diandrus</i> *	Ripgut Grass	AG		(FACU)	Poaceae	C
* <i>Bromus hordeaceus</i> L. ssp. <i>hordeaceus</i> *	Soft Chess	AG		FACU	Poaceae	C
* <i>Bromus rubens</i> L. *	Red Brome	AG		UPL	Poaceae	C
<i>Bromus sitchensis</i> var. <i>carinatus</i> (Hook. & Arn.) R.E. Brainerd & Otting	California Brome	PG	.		Poaceae	C
* <i>Bromus tectorum</i> L. *	Downy Brome, Cheat Grass	AG	.		Poaceae	C
<i>Calandrinia breweri</i> S. Watson	Brewer Calandrinia	AH	.		Montiaceae	U, 4.2

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of the Middle Sespe Creek Bioregion, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Calochortus palmeri</i> S. Watson var. <i>palmeri</i>	Palmer Mariposa Lily	PG	FACW		Liliaceae	U, 1B,2
<i>Calochortus splendens</i> Benth.	Splendid or Lilac Mariposa Lily	PG	.		Liliaceae	S
<i>Calochortus venustus</i> Benth.	Butterfly Mariposa Lily	PG	.		Liliaceae	C
<i>Calyptridium monandrum</i> Nuttall	Common Calyptridium	AH	.		Montiaceae	C
<i>Calystegia malacophylla</i> ssp. <i>pedicellata</i> (Jepson) Munz	Sierra Morning-glory	PV	.		Convolvulaceae	C
<i>Camissonia campestris</i> (E. Greene) Raven cf. ssp. <i>campestris</i>	Mojave Sun-cup	AH	.		Onagraceae	O
<i>Camissonia strigulosa</i> (Fischer & C. Meyer) Raven	Strigose Primrose	AH	.		Onagraceae	O
<i>Camissoniopsis intermedia</i> (P.H. Raven) W.L. Wagner & Hoch	Intermediate Sun Cups	AH	.		Onagraceae	C
<i>Camissoniopsis micrantha</i> (Sprengel) W.L. Wagner & Hoch	Tiny Primrose	AH	.		Onagraceae	S
<i>Camissoniopsis pallida</i> (Abrams) W.L. Wagner & Hoch ssp. <i>pallida</i>	Pale Primrose	AH	.		Onagraceae	R
* <i>Cardaria chalepensis</i> (L.) Hand.-Mazz. *	Lens-podded Hoary Cress	PH	.		Brassicaceae	R
<i>Carex barbarae</i> Dewey	Santa Barbara Sedge	PG	FAC		Cyperaceae	R
<i>Carex senta</i> Boott	Rough Sedge	PG	OBL		Cyperaceae	O
<i>Castilleja affinis</i> Hooker & Arnott ssp. <i>affinis</i>	Lay-and-Collie's Indian Paintbrush	PH	.		Orobanchaceae	C
<i>Castilleja applegatei</i> ssp. <i>martinii</i> (Abrams) Chuang & Heckard	Martin Indian Paintbrush	PH	.		Orobanchaceae	C
<i>Castilleja foliolosa</i> Hook. & Arn.	Woolly Indian Paintbrush	PH	.		Orobanchaceae	O
<i>Castilleja linariifolia</i> Benth.	Linaria-leaved Indian Paintbrush	PH	.		Orobanchaceae	S
<i>Castilleja miniata</i> Hook. ssp. <i>miniata</i>	Great Red Indian Paintbrush	PH	FACW		Orobanchaceae	U
<i>Castilleja minor</i> ssp. <i>spiralis</i> (Jeps.) Chuang & Heckard	Large-flowered Annual Indian	AH	OBL		Orobanchaceae	S
<i>Castilleja subinclusa</i> E. Greene ssp. <i>subinclusa</i>	Long-leaved Indian Paintbrush	PH	.		Orobanchaceae	C
<i>Caulanthus coulteri</i> S. Watson var. <i>coulteri</i>	Coulter Jewelflower	AH	.		Brassicaceae	C
<i>Caulanthus lasiophyllus</i> (Hooker & Arnott) Payson	California Mustard	AH	.		Brassicaceae	C
<i>Ceanothus crassifolius</i> Torrey var. <i>crassifolius</i>	Snowball, Hoaryleaf Ceanothus	S	.		Rhamnaceae	C
<i>Ceanothus crassifolius</i> var. <i>planus</i> Abrams	Flatleaf Snowball	S	.		Rhamnaceae	C
<i>Ceanothus leucodermis</i> E. Greene	Chaparral Whitethorn	S	.		Rhamnaceae	C
<i>Ceanothus palmeri</i> Trel.	Palmer Ceanothus	S	.		Rhamnaceae	O
* <i>Centaurea melitensis</i> L. *	Tocalote, Napa Thistle	AH	.		Asteraceae	C
* <i>Centaurea solstitialis</i> L. *	Yellow Star-thistle	AH	.		Asteraceae	C
<i>Cercocarpus betuloides</i> Torrey & A. Gray var. <i>betuloides</i>	Birchleaf Mountain Mahogany	S	.		Rosaceae	C
<i>Chaenactis glabriuscula</i> DC. var. <i>glabriuscula</i>	Common Yellow Pincushion	AH	.		Asteraceae	C
<i>Chenopodium californicum</i> (S. Watson) S. Watson	California Goosefoot, Soap Plant	PH	.		Chenopodiaceae	C
<i>Chlorogalum pomeridianum</i> (DC.) Kunth var. <i>pomeridianum</i>	Soap Lily	PG	.		Agavaceae	C
<i>Chorizanthe staticoides</i> Bentham var. <i>staticoides</i>	Turkish Rugging, Statice Spineflower	AH	.		Polygonaceae	O
<i>Cirsium occidentale</i> var. <i>californicum</i> (Gray) Keil & C. Turner	California Thistle	BH	.		Asteraceae	C
<i>Cirsium occidentale</i> var. <i>venustum</i> (E. Greene) Jepson	Red or Venus Thistle	BH	.		Asteraceae	O
<i>Clarkia bottae</i> (Spach) Lewis & Lewis	Punchbowl Godetia	AH	.		Onagraceae	C
<i>Clarkia cylindrica</i> (Jepson) H. Lewis & M. Lewis ssp. <i>cylindrica</i>	Cylindrical Godetia	AH	.		Onagraceae	O
<i>Clarkia dudleyana</i> (Abrams) J.F. Macbr.	Dudley Godetia	AH	.		Onagraceae	U
<i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i> (Douglas) H. Lewis & M. Lewis	Four-spotted Purple Clarkia	AH	.		Onagraceae	C
<i>Claytonia exigua</i> T. & G. ssp. <i>exigua</i>	Small Miner's Lettuce	AH	.		Montiaceae	S
<i>Claytonia parviflora</i> Hook. ssp. <i>parviflora</i>	Small-flowered Miner's Lettuce	AH	FACU		Montiaceae	O
<i>Claytonia parviflora</i> ssp. <i>viridis</i> (Davidson) J.M. Miller & Chambers	Small-flowered Miner's Lettuce	AH	FACU		Montiaceae	U
<i>Claytonia rubra</i> (J.T. Howell) Tidestrom ssp. <i>rubra</i>	Red Miner's Lettuce	AH	.		Montiaceae	U
<i>Clematis ligusticifolia</i> Nuttall	Virgin's Bower, Old Man's Beard	PV	FAC		Ranunculaceae	C
<i>Collinsia parryi</i> A. Gray	Parry Blue-eyed Mary	AH	.		Plantaginaceae	U

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of the Middle Sespe Creek Bioregion, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Cordylanthus rigidus</i> (Benth.) Jepson ssp. <i>rigidus</i>	Rigid Bird's Beak	AH	.		Orobanchaceae	C
<i>Corethrogyne filaginifolia</i> (Hook. & Arn.) Nutt. var. <i>filaginifolia</i>	California Cudweed-aster	PH	.		Asteraceae	C
<i>Crassula connata</i> (Ruiz, Lopez & Pavon) A. Berger	Pygmy [Sand]-Weed	AH	FAC		Crassulaceae	O
* <i>Crypsis schoenoides</i> (L.) Lam. *	Swamp Grass	AG	OBL		Poaceae	U
<i>Cryptantha clevelandii</i> E. Greene var. <i>clevelandii</i>	Cleveland Forget-Me-Not	AH	.		Boraginaceae	C
<i>Cryptantha clevelandii</i> var. <i>florosa</i> I.M. Johnston	Coastal Forget-Me-Not	AH	.		Boraginaceae	S
<i>Cryptantha corollata</i> (I.M. Johnston) I.M. Johnston	Crowned Forget-Me-Not	AH	.		Boraginaceae	C, T
<i>Cryptantha decipiens</i> (M.E. Jones) A.A.Heller	Gravel Forget-Me-Not	AH	.		Boraginaceae	O
<i>Cryptantha flaccida</i> (Lehm.) E. Greene	Flaccid Forget-Me-Not	AH	.		Boraginaceae	R
<i>Cryptantha hispidissima</i> Greene	Bristly Forget-Me-Not	AH	.		Boraginaceae	O
<i>Cryptantha intermedia</i> (A. Gray) E. Greene var. <i>intermedia</i>	Common Forget-Me-Not	AH	.		Boraginaceae	C
<i>Cryptantha juniperensis</i> R.B. Kelley & M.G. Simpson	Rigid Nevada Forget-Me-Not	AH	.		Boraginaceae	O
<i>Cryptantha maritima</i> (Greene) Greene	Seaside Forget-Me-Not	AH	.		Boraginaceae	S
<i>Cryptantha muricata</i> var. <i>jonesii</i> (A. Gray) I.M. Johnston	Jones Prickly Forget-Me-Not	AH	.		Boraginaceae	S (O?)
<i>Cryptantha muricata</i> (Hooker & Arnott) Nelson & Macbr. var. <i>muricata</i>	Showy Prickly Forget-Me-Not	AH	.		Boraginaceae	O
<i>Cryptantha nemaclada</i> E. Greene	Colusa Forget-Me-Not	AH	.		Boraginaceae	S
<i>Cryptantha nevadensis</i> A. Nelson & Kennedy var. <i>nevadensis</i>	Nevada Forget-Me-Not	AH	.		Boraginaceae	S
<i>Cryptantha rattanii</i> E. Greene	Rattan's Forget-Me-Not	AH	.		Boraginaceae	R, 4.3
<i>Cucurbita foetidissima</i> Kunth	Calabazilla	PV	.		Cucurbitaceae	O
<i>Cuscuta californica</i> Hooker & Arnott var. <i>californica</i>	California Dodder	AV	.		Convolvulaceae	C
<i>Datisca glomerata</i> (C. Presl) Baillon	Durango Root	PH	FACW		Datisceae	C
<i>Datura wrightii</i> Regel	Jimson Weed	AH	UPL		Solanaceae	C
<i>Delphinium parishii</i> ssp. <i>pallidum</i> (Munz) M.J. Warnock	Pale-flowered Larkspur	PH	.		Ranunculaceae	C
<i>Delphinium parishii</i> A. Gray ssp. <i>parishii</i>	Parish's Larkspur	PH	.		Ranunculaceae	S
<i>Delphinium parryi</i> ssp. <i>purpureum</i> (F. Lewis & Epling) M.J. Warnock	Mount Pinos Larkspur	PH	.		Ranunculaceae	C, 4.3
<i>Delphinium patens</i> ssp. <i>hepaticoides</i> Ewan	Spreading Larkspur	PH	.		Ranunculaceae	S
<i>Dendromecon rigida</i> Benth. ssp. <i>rigida</i>	Bush Poppy	S	.		Papaveraceae	C
<i>Descurainia pinnata</i> ssp. <i>menziesii</i> (DC.) Detl.	Menzies Tansy Mustard	AH	.		Brassicaceae	S
<i>Diplacus brevipes</i> (Benth.) Nesom	Short or Wide-throat Monkeyflower	AH	.		Phrymaceae	C
<i>Diplacus longiflorus</i> (Nuttall) A. Grant	Sticky Bush Monkeyflower	S	FACU		Phrymaceae	C
<i>Dipterostemon capitatus</i> (Benth.) Rydb. ssp. <i>capitatus</i>	Blue Dicks	PG	FACU		Themidaceae	C
<i>Dudleya cymosa</i> ssp. <i>pumila</i> (Rose) K. Nakai	Santa Monica Mtns. Live-forever	PH	.		Crassulaceae	U
<i>Dudleya lanceolata</i> (Nuttall) Britton & Rose	Lanceleaf Live-forever, Rock Lettuce	PH	.		Crassulaceae	C
<i>Dudleya pulverulenta</i> (Nuttall) Britton	Chalky Live-forever	PH	.		Crassulaceae	O
<i>Echinodorus berteroi</i> (Spreng.) Fasset	Bur Head	AG	OBL		Alismataceae	U
<i>Eleocharis parishii</i> Britt.	Parish Spikerush	PG	FACW		Cyperaceae	C
* <i>Elymus caput-medusae</i> L.*	Medusa Head	PG	.		Poaceae	R
<i>Elymus condensatus</i> J. Presl	Giant Wildrye	PG	FACU		Poaceae	C
<i>Elymus elymoides</i> (Raf.) Swezey ssp. <i>elymoides</i>	Bottlebrush Squirreltail	PG	FACU		Poaceae	C
<i>Elymus glaucus</i> Buckl. ssp. <i>glaucus</i>	Blue or Woodland Wildrye	PG	FACU		Poaceae	C
<i>Elymus stebbinsii</i> (Scribner & J.G. Smith) Gould	Wheatgrass	PG	.		Poaceae	R
<i>Emmenanthe penduliflora</i> Benth. var. <i>penduliflora</i>	Whispering Bells	AH	.		Hydrophyllaceae	O
<i>Ephedra viridis</i> Coville	Green Ephedra or Mormon-tea	S	.		Ephedraceae	C
<i>Epilobium brachycarpum</i> C. Presl	Panicled Willow-herb	AH	.		Onagraceae	O
<i>Epilobium canum</i> (Greene) Raven ssp. <i>canum</i>	California Fuchsia	PH	.		Onagraceae	C

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of the Middle Sespe Creek Bioregion, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Habit	Status		
<i>Epilobium ciliatum</i> Raf. ssp. <i>ciliatum</i>	Northern Willow-herb	AH	FACW	Onagraceae	C	
<i>Epipactis gigantea</i> Hook.	Stream Orchid	PH	OBL	Orchidaceae	O	
<i>Equisetum laevigatum</i> A. Braun	Smooth Scouring-Rush	PF	FACW	Equisetaceae	O	
<i>Eremocarya micrantha</i> var. <i>lepida</i> MacBr. [<i>Cryptantha m.</i> var. <i>l.</i>]	Mountain Red-root Eremocarya	AH	.	Boraginaceae	R	
<i>Eremocarya micrantha</i> (Torr.) Greene var. <i>micrantha</i>	Eremocarya	AH	.	Boraginaceae	U	
<i>Ereothera boothii</i> ssp. <i>decorticans</i> (Hooker & Arnott) W.L. Wagner & Hoch	Booth Shreading Primrose	AH	.	Onagraceae	C	
<i>Eriastrum densifolium</i> ssp. <i>austromontanum</i> (Craig) H. Mason	Mountain Woolly Star	PH	.	Polemoniaceae	O	
<i>Eriastrum densifolium</i> ssp. <i>elongatum</i> (Benth.) H. Mason	Elongate Woolly Star	PH	.	Polemoniaceae	O	
<i>Eriastrum densifolium</i> ssp. <i>mohavense</i> (Craig) H. Mason	Mojave Woolly Star	PH	.	Polemoniaceae	R	
<i>Ericameria cuneata</i> (Gray) McClatchie var. <i>cuneata</i>	Wedgeleaf Goldenbush	S	.	Asteraceae	S	
<i>Ericameria cuneata</i> var. <i>spathulata</i> (A. Gray) H.M. Hall	Spatulate-leaved Goldenbush	S	.	Asteraceae	U	
<i>Ericameria nauseosa</i> var. <i>bernardina</i> (H.M. Hall) G.L. Nesom & G.I. Baird	San Bernardino Rubber Rabbitbrush	S	.	Asteraceae	S	
<i>Ericameria nauseosa</i> var. <i>hololeuca</i> (A.Gray) G.L. Nesom & G.I. Baird	White Rubber Rabbitbrush	S	.	Asteraceae	O	
<i>Eriodictyon crassifolium</i> Bentham var. <i>crassifolium</i>	Thickleaf Yerba Santa	S	.	Namaceae	C	
<i>Eriodictyon crassifolium</i> var. <i>nigrescens</i> Brand	Thickleaf Yerba Santa	S	.	Namaceae	C	
<i>Eriogonum baileyi</i> S. Watson var. <i>baileyi</i>	Bailey Buckwheat	AH	.	Polygonaceae	O	
<i>Eriogonum cithariforme</i> S. Watson var. <i>cithariforme</i>	Cithara Buckwheat	AH	.	Polygonaceae	C	
<i>Eriogonum elegans</i> Greene	Elegant Buckwheat	AH	.	Polygonaceae	U, 4.3	
<i>Eriogonum gracile</i> Bentham var. <i>gracile</i>	Slender Woolly Buckwheat	AH	.	Polygonaceae	O	
<i>Eriogonum hirtiflorum</i> S. Watson	Hairy-flowered Buckwheat	AH	.	Polygonaceae	U	
<i>Eriogonum vimineum</i> Benth.	Wicker Buckwheat	AH	.	Polygonaceae	U	
<i>Eriophyllum confertiflorum</i> (DC.) A. Gray var. <i>confertiflorum</i>	Golden Yarrow	PH	.	Asteraceae	C	
<i>Erysimum capitatum</i> (Dougl.) E. Greene var. <i>capitatum</i>	Western Wallflower	AH/BH	.	Brassicaceae	C	
<i>Erythranthe cardinalis</i> (Douglas ex Benth.) Spach	Scarlet Monkeyflower	PH	FACW	Phrymaceae	C	
<i>Erythranthe microphylla</i> (Benth.) Nesom	Small-leaved Monkeyflower	AH	OBL	Phrymaceae	R	
<i>Erythranthe nasuta</i> (Greene) G.L. Nesom	Long-nosed Monkeyflower	AH	OBL	Phrymaceae	R	
<i>Eschscholzia caespitosa</i> Bentham ssp. <i>caespitosa</i>	Tufted Poppy	BH	.	Papaveraceae	O	
<i>Eschscholzia californica</i> Chamisso in C.G.D. ssp. <i>californica</i>	California Poppy	AH	.	Papaveraceae	C	
<i>Euthamia occidentalis</i> Nuttall	Western Goldenrod	PH	FACW	Asteraceae	O	
<i>Frangula californica</i> ssp. <i>tomentella</i> (Benth.) Kartesz & Gandhi	Hoary Coffeeberry	S	.	Rhamnaceae	C	
<i>Fraxinus dipetala</i> Hooker & Arnott	California Flowering Ash	T	.	Oleaceae	C	
<i>Galium andrewsii</i> ssp. <i>intermedium</i> Dempster & Stebb.	Intermediate Pine Mat, Phlox-leaved	PH	.	Rubiaceae	C	
<i>Galium hallii</i> Munz & I.M. Johnston	Nodding Bedstraw	PH	.	Rubiaceae	C	
<i>Garrya flavescens</i> ssp. <i>pallida</i> (Eastwood) Dahling	Pallid Silk-tassel Bush	S	.	Garryaceae	S	
<i>Garrya veatchii</i> Kellogg	Veatch's Silk-tassel Bush	S	.	Garryaceae	C	
<i>Gilia achilleifolia</i> Benth. ssp. <i>achilleifolia</i>	California or Yarrow-leaved Gilia	AH	.	Polemoniaceae	O	
<i>Gilia austro-occidentalis</i> (A.D. & V.E. Grant) A.D. & V.E. Grant	Southwestern Gilia	AH	.	Polemoniaceae	U	
<i>Gilia capitata</i> ssp. <i>abrotanifolia</i> (E. Greene) V. Grant	Blue Field Gilia	AH	.	Polemoniaceae	C	
<i>Gilia capitata</i> ssp. <i>capitata</i>	Blue Field Gilia	AH	.	Polemoniaceae	R	
<i>Gilia ochroleuca</i> ssp. <i>bizonata</i> A. & V. Grant	Desert Gilia	AH	.	Polemoniaceae	O	
<i>Gilia ochroleuca</i> ssp. <i>exilis</i> (Gray) A. & V. Grant	Volcanic Gilia	AH	.	Polemoniaceae	R	
<i>Gilia ochroleuca</i> ssp. <i>lanosa</i> Hrusa	Woollystem Volcanic Gilia	AH	.	Polemoniaceae	S, 4.3	
<i>Glycyrrhiza lepidota</i> (Nutt.) Pursh	American Licorice	PH	FAC	Fabaceae	S	
<i>Greenocharis circumsissa</i> (Hook. & Arn.) Ryd. var. <i>circumsissa</i> [<i>Cryptantha c.</i> var. <i>c.</i>]	Greenocharis	AH	.	Boraginaceae	C	
<i>Gutierrezia californica</i> (DC.) Torrey & A. Gray	California Matchweed, Snakeweed	S	.	Asteraceae	O	

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of the Middle Sespe Creek Bioregion, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Gutierrezia sarothrae</i> (Pursh) Britton & Rusby	Broom Snakeweed, Matchweed	S	.		Asteraceae	S
<i>Hazardia squarrosa</i> var. <i>obtusata</i> (Greene) Jepson	Prickly Sawtooth Goldenbush	S	.		Asteraceae	C
<i>Hesperoyucca whipplei</i> ssp. <i>cespitosa</i> (M.E. Jones) A.L. Haines	Clumping Our Lord's Candle	S	.		Agavaceae	C
<i>Heteromeles arbutifolia</i> (Lindley) Roemer	Toyon, Christmas Holly, Hollywood	S	.		Rosaceae	C
<i>Heterotheca sessiliflora</i> ssp. <i>echioides</i> (Benth.) Semple	Sessileflower False Goldenaster	PH	.		Asteraceae	O
<i>Heterotheca sessiliflora</i> ssp. <i>fastigiata</i> (Greene) Semple	Sessileflower False Goldenaster	PH	.		Asteraceae	O
<i>Hoita macrostachya</i> (DC.) Rydb.	Leather Root, California Tea	PH	OBL		Fabaceae	S
* <i>Hordeum murinum</i> ssp. <i>leporinum</i> (Link) Arcang. *	Hare Barley	AG	FACU		Poaceae	C
<i>Hosackia oblongifolia</i> Benth. var. <i>oblongifolia</i>	Stream Trefoil	PH	OBL		Fabaceae	O
<i>Iva axillaris</i> ssp. <i>robustior</i> (Hooker) Bassett	Poverty Weed, Small-flowered	PH	FAC		Asteraceae	C
<i>Juncus acutus</i> ssp. <i>leopoldii</i> (Parl.) Snogerup	Spiny Rush	PG	FACW		Juncaceae	S, 4,2
<i>Juncus confusus</i> Cov.	Colorado Rush	PG	FAC		Juncaceae	R
<i>Juncus macrophyllus</i> Cov.	Large-leaf Rush	PG	FACW		Juncaceae	S
<i>Juncus mexicanus</i> Willd. ex Schultes & Schultes.f.	Mexican Rush, Wire Grass	PG	FACW		Juncaceae	C
<i>Juncus xiphioides</i> E. Meyer	Iris-leaved Rush	PG	OBL		Juncaceae	C
<i>Juniperus californica</i> Carrière	California Juniper	S	.		Cupressaceae	C
<i>Keckiella ternata</i> var. <i>septentrionalis</i> (Munz & Johnston) N. Holmgren	Blue-stemmed Bush Penstemon	S	.		Plantaginaceae	C
* <i>Lactuca serriola</i> L. *	Prickly Wild Lettuce	AH	FACU		Asteraceae	C
<i>Lathyrus vestitus</i> ssp. <i>laevicarpus</i> Broich	Naked-pod Pacific Peavine	PV	.		Fabaceae	S
<i>Lathyrus vestitus</i> Nuttall ssp. <i>vestitus</i>	Pacific Peavine	PV	.		Fabaceae	C
<i>Layia glandulosa</i> (Hook.) Hook. & Arn. ssp. <i>glandulosa</i>	White Layia	AH	.		Asteraceae	C
<i>Layia hieracioides</i> (DC.) Hooker & Arnott	Tall Layia	AH	.		Asteraceae	R
<i>Lemna minuta</i> Kunth	Tiny Duckweed	AG	OBL		Araceae	S
* <i>Lepidium appelianum</i> Al-Shehbaz [<i>Cardaria pubescens</i>] *	White-top	PH	UPL		Brassicaceae	S
* <i>Lepidium chalepense</i> L. *	Lens-podded Hoary Cress	PH	?		Brassicaceae	R
<i>Lepidospartum squamatum</i> (A. Gray) A. Gray	Scalebroom	S	FACU		Asteraceae	C
<i>Leptosiphon breviculus</i> (A. Gray) J.M. Porter & L.A. Johnson	Short-stemmed Linanthus	AH	.		Polemoniaceae	R
<i>Leptosiphon chrysanthus</i> J.M. Porter & R. Patt. ssp. <i>chrysanthus</i>	Desert Gold	AH	.		Polemoniaceae	C
<i>Leptosiphon parviflorus</i> Benth.	Yellow Linanthus	AH	.		Polemoniaceae	C
<i>Leptosyne calliopsidea</i> (DC.) A.Gray	Leafy-stemmed Coreopsis	AH	.		Asteraceae	U
<i>Linanthus dichotomus</i> Benth. ssp. <i>dichotomus</i>	Evening Snow	AH	.		Polemoniaceae	S
<i>Lithophragma affine</i> Gray	Woodland Star	PH	.		Saxifragaceae	O
<i>Logfia depressa</i> (A.Gray) Holub	Low Berbia Impia	AH	.		Asteraceae	R
<i>Logfia filaginoides</i> (Hook. & Arn.) Morefield	California Filago	AH	.		Asteraceae	C
<i>Lomatium dasycarpum</i> (T. & G.) Coulter & Rose ssp. <i>dasycarpum</i>	Hairy Wing-fruit	PH	.		Apiaceae	C
<i>Lomatium mohavense</i> (Coulter & Rose) Coulter & Rose ssp. <i>mohavense</i>	Desert-parsley	PH	.		Apiaceae	O
<i>Lonicera subspicata</i> var. <i>denudata</i> Rehder	Southern Honeysuckle	S	.		Caprifoliaceae	C
<i>Lupinus albifrons</i> var. <i>hallii</i> (Abrams) Jeps.	Hall Bush Lupine	S	.		Fabaceae	C
<i>Lupinus bicolor</i> Lindley	Bicolored or Miniature Lupine	AH	.		Fabaceae	C
<i>Lupinus concinnus</i> J. Agardh spp. <i>concinnus</i>	Bajada Lupine	AH	.		Fabaceae	C
<i>Lupinus concinnus</i> ssp. <i>optatus</i> D. Dunn	Bajada Lupine	AH	.		Fabaceae	R
<i>Lupinus concinnus</i> ssp. <i>orcutti</i> (S. Watson) D. Dunn	Orcutt Bajada Lupine	AH	.		Fabaceae	R
<i>Lupinus excubitus</i> M.E. Jones var. <i>excubitus</i>	Grape Soda Lupine	S	.		Fabaceae	O
<i>Lupinus formosus</i> Greene var. <i>formosus</i>	Summer Bush Lupine	PH	.		Fabaceae	C
<i>Lupinus longifolius</i> (S. Watson) Abrams	Long-leaved Bush Lupine	S	.		Fabaceae	C

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of the Middle Sespe Creek Bioregion, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Lupinus microcarpus</i> var. <i>densiflorus</i> (Benth) Jeps.	Densely Red-flowered Lupine	AH	.		Fabaceae	S
<i>Lupinus microcarpus</i> var. <i>horizontalis</i> (A.A. Heller) Jeps.	Prostrate Red-flowered Lupine	AH	.		Fabaceae	O
<i>Lupinus microcarpus</i> Sims var. <i>microcarpus</i>	Red-flowered Lupine	AH	.		Fabaceae	C
<i>Lupinus nanus</i> Benth.	Small Lupine	AH	.		Fabaceae	S
<i>Lupinus sparsiflorus</i> Benth. ssp. <i>sparsiflorus</i>	Few-flowered Lupine	AH	.		Fabaceae	C
<i>Lythrum californicum</i> T. & G.	California Loosestrife	PH	OBL		Lythraceae	S
<i>Madia elegans</i> D. Don ssp. <i>elegans</i>	Common Tarplant or Madia	AH	.		Asteraceae	C
<i>Madia exigua</i> (Smith) A. Gray	Threadstem Tarplant	AH	.		Asteraceae	S
<i>Madia gracilis</i> (Smith) Keck	Slender Tarplant	AH	.		Asteraceae	C
<i>Malacothrix saxatilis</i> var. <i>commutata</i> Ferris	Cliff-aster	PH	.		Asteraceae	S
<i>Malacothrix saxatilis</i> var. <i>tenuifolia</i> (Nutt.) Gray	Tenuated Cliff-aster	PH	.		Asteraceae	C
<i>Marah fabacea</i> (Naudin) Greene	California Man-root	PV	.		Cucurbitaceae	C
* <i>Marrubium vulgare</i> L. *	White Horehound	S	FACU		Lamiaceae	C
<i>Melica imperfecta</i> Trin.	Coast Melic Grass	PG	.		Poaceae	C
* <i>Melilotus albus</i> Medikus *	White Sweetclover	A/BH	(FACU)		Fabaceae	C
* <i>Melilotus indicus</i> (L.) All. *	Sourclover, Yellow Sweetclover	AH	FACU		Fabaceae	C
<i>Mentzelia dispersa</i> S. Watson	Scattered Stickleaf	AH	.		Loasaceae	O
<i>Mentzelia pectinata</i> Kellogg	Stickleaf	AH	.		Loasaceae	S
<i>Mentzelia veatchiana</i> Kellogg	Veatch Stickleaf	AH	.		Loasaceae	C
<i>Monardella breweri</i> Gray var. <i>breweri</i>	Brewer Coyote Mint	AH	.		Lamiaceae	O
<i>Muhlenbergia asperifolia</i> (Nees & Meyen) Parodi	Scratchgrass	PG	FACW		Poaceae	S
<i>Muhlenbergia rigens</i> (Benth.) Hitchc.	Deer Grass	PG	FAC		Poaceae	O
<i>Muilla maritima</i> (Torrey) S. Watson	Common Muilla	PG	.		Themidaceae	O
<i>Myriopteris</i> [<i>Cheilanthes</i>] <i>covillei</i> (Maxon) A. Löve & D. Löve	Coville Lip-fern	PF	.		Pteridaceae	C
<i>Nama californica</i> (Gray) J.D. Bacon	Lemmon California Waterleaf	AH	.		Namaceae	O
<i>Nemophila pedunculata</i> Benth.	Little-foot Baby Blue-eyes	AH	FAC		Hydrophyllaceae	C
<i>Nemophila pulchella</i> var. <i>fremontii</i> (A.D.E. Elmer) Constance	Fremont Baby Blue-eyes	AH	.		Hydrophyllaceae	R
<i>Nicotiana attenuata</i> Torrey	Coyote Tobacco	AH	FACU		Solanaceae	O
<i>Oenothera californica</i> (S. Watson) S. Watson ssp. <i>californica</i>	California Evening-primrose	PH	.		Onagraceae	S
* <i>Oloptum miliaceum</i> (L.) Roser & Hamasha *	Smilo Grass	PG	(FACU)		Poaceae	C
<i>Osmorhiza brachypoda</i> Torrey	Sweet Cicely	PH	.		Apiaceae	C
<i>Panicum capillare</i> L. ssp. <i>capillare</i>	Witchgrass	AG	FACU		Poaceae	S
<i>Pectocarya linearis</i> ssp. <i>ferocula</i> (I.M. Johnston) Thorne	Linear Pectocarya	AH	.		Boraginaceae	O
<i>Pectocarya penicillata</i> (Hook. & Arn.) A. DC.	Winged Pectocarya	AH	.		Boraginaceae	O
<i>Pectocarya setosa</i> Gray	Setose Pectocarya	AH	.		Boraginaceae	C
<i>Pediomelum californicum</i> (S. Watson) Rydb.	California Indian Breadroot	PH	.		Fabaceae	O
<i>Pellaea andromedifolia</i> (Haulfuss) Fee	Coffee Fern	PF	.		Pteridaceae	C
<i>Pellaea mucronata</i> (D.C. Eaton) D.C. Eaton in Emory var. <i>mucronata</i>	Birdsfoot Cliffbrake or Fern	PF	.		Pteridaceae	C
<i>Penstemon centranthifolius</i> Bentham	Scarlet Bugler	PH	.		Plantaginaceae	C
<i>Penstemon heterophyllus</i> Lindley var. <i>heterophyllus</i>	Mountain Penstemon	PH	.		Plantaginaceae	C
<i>Pentagramma triangularis</i> (Kaulf.) Yatskievych, Windham, & E. Wollenweber ssp.	Goldenback Fern	PF	.		Pteridaceae	C
<i>Perideridia pringlei</i> (J.M. Coulter & Rose) A. Nelson & J.F. Macbr.	Adobe or Pringle Yampah	PH	.		Apiaceae	O, 4,3
<i>Peritoma arborea</i> var. <i>globosa</i> (Coville) H.H. Iltis	Bladderpod	S	.		Cleomaceae	S
<i>Persicaria amphibia</i> (L.) Delarbre	Kelp, Water-Smartweed	PH	OBL		Polygonaceae	S
<i>Persicaria lapathifolia</i> (L.) Delarbre	Willow Weed	AH	FACW		Polygonaceae	C

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of the Middle Sespe Creek Bioregion, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Phacelia brachyloba</i> (Benth.) Gray	Short-lobed Phacelia	AH	.		Hydrophyllaceae	C
<i>Phacelia cicutaria</i> Greene var. <i>cicutaria</i>	Caterpillar Phacelia	AH	.		Hydrophyllaceae	S
<i>Phacelia cicutaria</i> var. <i>hispida</i> (A. Gray) J.T. Howell	Hispid Caterpillar Phacelia	AH	.		Hydrophyllaceae	C
<i>Phacelia davidsonii</i> Gray	Davidson Phacelia	AH	.		Hydrophyllaceae	C
<i>Phacelia longipes</i> Gray	Long-stalked Phacelia	AH	.		Hydrophyllaceae	C
<i>Phacelia ramosissima</i> var. <i>latifolia</i> (Torrey) Cronq.	Branching Phacelia	PH	FACU		Hydrophyllaceae	S
<i>Phacelia viscida</i> (Bentham) Torrey var. <i>viscida</i>	Viscid Phacelia	AH	.		Hydrophyllaceae	C
<i>Phoradendron leucarpum</i> ssp. <i>macrophyllum</i> (Engelm.) J.R. Abbott & R.L. Thoms.	Bigleaf Mistletoe	PH	.		Viscaceae	C
<i>Phragmites australis</i> (Cav.) Steudel	Common Reed	PG	FACW		Poaceae	U
<i>Pinus monophylla</i> Torrey & Frémont	Singleleaf Pinyon Pine	T	.		Pinaceae	C
<i>Piperia elongata</i> Rydb.	Dense-flowered Rein Orchid	PG	.		Orchidaceae	R
<i>Plagiobothrys collinus</i> var. <i>fulvescens</i> (I.M. Johnston) Higgins	Popcornflower	AH	.		Boraginaceae	U
<i>Platanus racemosa</i> Nuttall var. <i>racemosa</i>	California or Western Sycamore	T	FACU		Platanaceae	C
<i>Potamogeton foliosus</i> Raf. var. <i>foliosus</i>	Leafy Pondweed	PH	OBL		Potamogetonaceae	S
<i>Potamogeton nodosus</i> Poiret	Long-leaved Pondweed	PH	OBL		Potamogetonaceae	R
<i>Prunus ilicifolia</i> (Nutt.) Walp. ssp. <i>ilicifolia</i>	Hollyleaf Cherry	S	.		Rosaceae	C
<i>Pseudognaphalium beneolens</i> (A. Davidson) Anderberg	Coastal Everlasting	B/PH	.		Asteraceae	O
<i>Pseudognaphalium canescens</i> (de Candolle) Anderberg	Wright's Rabbit-tobacco	A/PH	FACU		Asteraceae	R
<i>Psilocarphus tenellus</i> Nutt.	Slender Woolly Marbles	AH	OBL		Asteraceae	C
<i>Pterostegia drymarioides</i> Fischer & C. Meyer	Fairy Mist	AH	.		Polygonaceae	C
<i>Quercus agrifolia</i> Nee var. <i>agrifolia</i>	Coast Live Oak	T	(FACU)		Fagaceae	C
<i>Quercus berberidifolia</i> Leibm.	California Scrub Oak	S	.		Fagaceae	C
<i>Quercus wislizenii</i> A. de Candolle ssp. <i>wislizenii</i>	Interior Live Oak	T	.		Fagaceae	S
<i>Rhus trilobata</i> var. <i>quinata</i> Jepson	Skunkbrush	S	FACU		Anacardiaceae	O
<i>Ribes aureum</i> var. <i>gracillimum</i> (Cov. & Britton) Jeps.	Slender Golden Currant	S	FAC		Grossulariaceae	R
<i>Rigiopappus leptocladus</i> Gray	Rigiopappus	AH	.		Asteraceae	S
* <i>Robinia pseudoacacia</i> L. *	Black Locust	T	FACU		Fabaceae	U
<i>Romneya coulteri</i> Harvey	Coulter Matilija Poppy	S	.		Papaveraceae	U, 4,2
<i>Romneya trichocalyx</i> Eastwood	Hairy Matilija Poppy	S	.		Papaveraceae	C
<i>Rosa californica</i> Cham. & Schltldl.	California Wild Rose	S	FAC		Rosaceae	C
<i>Rumex salicifolius</i> J.A. Weinm. [var. <i>salicifolius</i>]	Willow Dock	PH	FACW		Polygonaceae	C
<i>Sabulina douglasii</i> (Fenzl ex T. & G.) Dellenb. & Kabereit	Douglas Sandwort	AH	.		Caryophyllaceae	C
<i>Salix laevigata</i> Bebb.	Red Willow	T	FACW		Salicaceae	C
<i>Salix lasiandra</i> Benth. var. <i>lasiandra</i>	Shining [Yellow] Willow	T	FACW		Salicaceae	O
<i>Salix lasiolepis</i> Benth. var. <i>lasiolepis</i>	Arroyo Willow	T	FACW		Salicaceae	C
<i>Salvia apiana</i> Jepson var. <i>apiana</i>	White Sage	S	.		Lamiaceae	C
<i>Salvia columbariae</i> Benth.	Chia	AH	.		Lamiaceae	C
<i>Salvia mellifera</i> Greene	Black Sage	S	.		Lamiaceae	C
<i>Scutellaria siphocampyloides</i> Vatke	Skullcap	PH	FACU		Lamiaceae	S
<i>Senecio flaccidus</i> var. <i>douglasii</i> (DC.) B.L. Turner & T.M. Barkley	Shrubby Butterweed	S	.		Asteraceae	C
* <i>Sisymbrium orientale</i> L. *	Eastern Mustard	AH	.		Brassicaceae	S
* <i>Spartium junceum</i> L. *	Spanish Broom	S	.		Fabaceae	O
<i>Stephanomeria cichoriacea</i> A. Gray	Chicory-leaved Milk-aster	PH	.		Asteraceae	O
<i>Stephanomeria virgata</i> ssp. <i>pleurocarpa</i> (Greene) Gottlieb	Two-fruited Wreath Plant	AH	.		Asteraceae	S
<i>Stipa coronata</i> Thurber	Giant Needlegrass	PG	.		Poaceae	C

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of the Middle Sespe Creek Bioregion, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Symphoricarpos mollis</i> Nuttall	Creeping or Trailing Snowberry	S	FACU		Caprifoliaceae	C
<i>Symphotrichum subulatum</i> var. <i>parviflorum</i> (Nees) S.D. Sundb.	Annual Saltmarsh Aster	AH	OBL		Asteraceae	O
<i>Tauschia arguta</i> (Torrey & Gray) J.F. Macbr.	Southern Tauschia	PH	.		Apiaceae	O
<i>Toxicodendron diversilobum</i> (T. & G.) Greene	Western Poison Oak	S/V	FACU		Anacardiaceae	C
<i>Trichostema lanatum</i> Bentham	Woolly Bluecurls, Romero	S	.		Lamiaceae	C
<i>Turricula parryi</i> (A. Gray) J.F. Macbr.	Poodle-dog Bush	S	.		Namaceae	C
<i>Typha domingensis</i> Pers.	Southern Cattail	PH	OBL		Typhaceae	C
<i>Umbellularia californica</i> (Hook. & Arn.) Nutt. var. <i>californica</i>	California Bay	T	FAC		Lauraceae	C
<i>Vicia americana</i> Willd. var. <i>americana</i>	American Vetch	PH	FAC		Fabaceae	U
<i>Viola purpurea</i> ssp. <i>quercetorum</i> (M. Baker & J. Clausen) R.J. Little	Oak Violet	PH	.		Violaceae	S
<i>Vulpia microstachys</i> (Nutt.) Benth. var. <i>microstachys</i>	Small Fescue	AG	.		Poaceae	S
* <i>Vulpia myuros</i> (L.) C. Gnelin forma <i>myuros</i> *	Rattail Fescue	AG	FACU		Poaceae	C
<i>Vulpia octoflora</i> (Walter) Rydb. var. <i>octoflora</i>	Sixweeks Fescue	AG	UPL		Poaceae	S
<i>Xanthium strumarium</i> L.	Cocklebur	AH	FAC		Asteraceae	O

Notes: Scientific nomenclature follows the Flora of North America Editorial Committee (1993-), *The Jepson Manual* (Baldwin et al. 2012), Baker et al. (2012 for Phrymaceae), Nesom (2012a & 2012b for *Erythranthe*, 2013 for *Diplacus*), Tulig & Nesom (2012 for *Diplacus*), Hasenstab-Lehman & Simpson (2012 for *Cryptantha*), Burge & Zhukovsky (2013 for *Ceanothus vestitus* complex), Schneider (2016 for *Aphyllon*), Colwell et al. (2017 for *Aphyllon*), and Broich (1987 for *Lathyrus vestitus* subspecies).

Most current taxonomy is followed when changed have occurred since publication of the above listed references.

Common names follow Abrams and Ferris (1960), Neihaus and Ripper (1976), and DeGarmo (1980).

An "*" indicates non-native taxa that have become naturalized or persist without cultivation.

Habit definitions:

AF = annual fern or fern ally.

AG = annual grass or graminoid.

AH = annual herb.

BH = biennial herb.

PF = perennial fern or fern ally.

PG = perennial grass or graminoid.

PH = perennial herb.

PV = perennial vine.

S = shrub.

T = tree.

Wetland indicator status (Lichvar et al. 2016):

OBL = obligate wetland species, occurs almost always in wetlands (>99% probability).

FACW = facultative wetland species, usually found in wetlands (67-99% probability).

FAC = facultative species, equally likely to occur in wetlands or nonwetlands (34-67% probability).

FACU = facultative upland species, usually occur in nonwetlands (67-99% probability).

A period "." indicates that no wetland indicator status has been given in Lichvar et al. (2016).

Parentheses around an indicator status indicates the wetland status as suggested by David L. Magney.

Abundance status definitions for Ventura County:

R = Rare (1-5 extant populations known)

U = Uncommon (6-10 extant populations known)

S = Scattered (11-20 extant populations known)

O = Occasional (21-30 extant populations known)

C = Common (>30 extant populations known)

X = Expected but not yet found

T = Type Locality

Listing Status:

FE = Federally listed Endangered

FT = Federally listed Threatened

SE = California listed Endangered

ST = California listed Threatened

SR = California listed Rare

FS = Forest Service Sensitive Species

CNPS Rarity Ranking:

1A = CNPS 1A

1B.x = CNPS 1B

2.x = CNPS 2

3.x = CNPS 3

4.x = CNPS 4

Developed by David L. Magney 2023. Checklist may be used for educational and nonprofit purposes only.

Based on voucher specimens at one or more California public herbaria and direct observations by author.

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of the Middle Sespe Creek Bioregion, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family	Abundance Status
-----------------	-------------	-------	--------------------------	--------	------------------

Topographic map of Middle Sespe Creek Bioregion, created as part of the Ventura County Flora project and described in www.venturafloora.com.
 The Middle Sespe Creek Bioregion is also described in the Botanical Resources of the Utom (Santa Clara) River Watershed, published by CNPS in 2023.

