

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California

David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family
<i>Abies concolor</i>	California White Fir	T	.	Pinaceae
<i>Abronia turbinata</i>	Transmontane Sand-verbena	PH	.	Nyctaginaceae
<i>Acanthomintha obovata</i> var. <i>cordata</i>	Heartleaf Thornmint	AH	.	Lamiaceae
<i>Acanthomintha obovata</i> var. <i>obovata</i>	San Benito Thornmint	AH	.	Lamiaceae
<i>Achillea millefolium</i> var. <i>lanulosa</i>	Mountain White Yarrow	PH	FACU	Asteraceae
<i>Achillea millefolium</i> var. <i>millefolium</i>	Common Yarrow	PH	FACU	Asteraceae
<i>Achillea millefolium</i> var. <i>pacifica</i>	Pacific White Yarrow	PH	FACU	Asteraceae
<i>Achnatherum hymenoides</i>	Indian Ricegrass	PG	.	Poaceae
<i>Achnatherum occidentale</i> ssp. <i>occidentalis</i>	Western Needlegrass	PG	.	Poaceae
<i>Achnatherum speciosum</i>	Desert Needlegrass	PG	.	Poaceae
<i>Achnatherum thurberianum</i>	Thurber Needlegrass	PG	.	Poaceae
<i>Actaea rubra</i> ?	Western Red Baneberry	PH	.	Ranunculaceae
<i>Adenostoma fasciculatum</i>	Chamise	S	.	Rosaceae
<i>Agoseris elata</i>	Tall Mountain Dandelion	PH	FAC	Asteraceae
<i>Agoseris grandiflora</i>	Bigflower Mountain Dandelion	PH	.	Asteraceae
<i>Agoseris heterophylla</i> var. <i>cryptopheura</i>	Mountain Dandelion	AH	.	Asteraceae
<i>Agoseris heterophylla</i> var. <i>heterophylla</i>	Annual Mountain Dandelion	AH	.	Asteraceae
<i>Agoseris retrorsa</i>	Spear-leaved Mountain Dandelion	PH	.	Asteraceae
<i>Agrostis exarata</i>	Western Bentgrass	PG	FACW	Poaceae
<i>Allium burlewii</i>	Burlew Onion	PH	.	Alliaceae
<i>Allium campanulatum</i>	Sierra Onion	PH	.	Alliaceae
<i>Allium denticulatum</i>	Dentate Fringed Onion	PH	.	Alliaceae
<i>Allium fimbriatum</i> var. <i>fimbriatum</i>	Fringed Onion	PH	.	Alliaceae
<i>Allium howellii</i> var. <i>clokeyi</i>	Mt. Pinos Onion	PH	.	Alliaceae
<i>Allophyllum divaricatum</i>	Divaricate Allophyllum	AH	.	Polemoniaceae
<i>Allophyllum gilioides</i> ssp. <i>gilioides</i>	Straggling Gilia	AH	FACU*	Polemoniaceae
<i>Allophyllum gilioides</i> ssp. <i>violaceum</i>	Violet Allophyllum	AH	.	Polemoniaceae
<i>Ambrosia acanthicarpa</i>	Burweed	AH	.	Asteraceae
<i>Amelanchier utahensis</i>	Utah Serviceberry	S	.	Rosaceae
<i>Anisocoma acaulis</i>	Scale Bud	AH	.	Asteraceae
<i>Antennaria dimorpha</i>	Low Everlasting	PH	.	Asteraceae
<i>Apocynum cannabinum</i>	Indian Hemp	PH	FAC	Ascepiadaceae
<i>Arabis glabra</i> var. <i>glabra</i>	Tower Mustard	BH	(FACU)	Brassicaceae
<i>Arabis holboellii</i> var. <i>retrofracta</i>	Holboell Rock Cress	PH	FACU*	Brassicaceae
<i>Arabis repanda</i> var. <i>repanda</i>	Yosemite Rock Cress	PH	.	Brassicaceae
<i>Arceuthobium abietium</i>	Fir Mistletoe	PH	.	Viscaceae
<i>Arceuthobium californicum</i>	Sugar Pine Dwarf Mistletoe	PH	.	Viscaceae
<i>Arceuthobium campylopodum</i>	Western Dwarf Mistletoe	PH	.	Viscaceae
<i>Arceuthobium cyanocarpum</i>	Dwarf Mistletoe	PH	.	Viscaceae
<i>Arceuthobium divaricatum</i>	Pinyon Dwarf Mistletoe	PH	.	Viscaceae
<i>Arceuthobium occidentale</i>	Foothil Pine Dwarf Mistletoe	PH	.	Viscaceae
<i>Arctostaphylos glauca</i>	Bigberry Manzanita	S	.	Ericaceae
<i>Arctostaphylos parryana</i>	Parry Manzanita	S	.	Ericaceae
<i>Arctostaphylos patula</i>	Greenleaf Manzanita	S	.	Ericaceae
<i>Arctostaphylos pungens</i>	Pungent Manzanita	S	.	Ericaceae
<i>Argemone munita</i> ssp. <i>munita</i>	Prickly Poppy	AH	.	Papaveraceae
<i>Artemisia douglasiana</i>	Mugwort	PH	FACW	Asteraceae
<i>Artemisia dracunculus</i>	Tarragon	AH	.	Asteraceae
<i>Artemisia tridentata</i> ssp. <i>tridentata</i>	Great Basin Sagebrush	S	.	Asteraceae
<i>Asclepias californica</i> ssp. <i>californica</i>	California Milkweed	AH	.	Ascepiadaceae
<i>Asclepias erosa</i>	Desert Milkweed	PH	.	Ascepiadaceae
<i>Aster adscendens</i>	Long-leaved Aster	AH	.	Asteraceae
<i>Aster chilensis</i>	Long-leaved Aster	AH	.	Asteraceae
<i>Astragalus didymocarpus</i> var. <i>dispermus</i>	Dispersed Two-seeded Milkvetch	AH	.	Fabaceae
<i>Astragalus filipes</i>	Thread-leaved Locoweed	PH	.	Fabaceae
<i>Astragalus lentiginosus</i> var. <i>diphysus</i>	Freckled Locoweed	PH	NI	Fabaceae
<i>Astragalus lentiginosus</i> var. <i>idriensis</i>	Spotted Locoweed	PH	NI	Fabaceae
<i>Astragalus lentiginosus</i> var. <i>nigricalycis</i>	Black-sepaled Freckled Locoweed	PH	NI	Fabaceae
<i>Astragalus pachypus</i> var. <i>pachypus</i>	Thickpod Milkvetch	PH	.	Fabaceae

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California

David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family
<i>Astragalus purshii</i> var. <i>tinctus</i>	Pursh Woolly Pod	PH	.	Fabaceae
<i>Astragalus trichopus</i> var. <i>phoxus</i>	Antisell Three-pod Milkvetch	PH	.	Fabaceae
<i>Astragalus whitneyi</i> var. <i>pinosus</i>	Mount Pinos Locoweed	PH	.	Fabaceae
<i>Astragalus whitneyi</i> var. <i>whitneyi</i>	Whitney Locoweed	PH	.	Fabaceae
<i>Balsamorhiza deltoidea</i>	Balsamroot, Chuchupate	PH	.	Asteraceae
<i>Barbarea orthoceras</i>	American Wintercress	BH	FACW	Brassicaceae
<i>Bloomeria crocea</i> var. <i>montana</i>	Mountain Goldenstars	PH	.	Themidaceae
<i>Botrichium simplex</i> var. <i>simplex</i>	Little Grapefern	PF	FACU	Ophioglossaceae
<i>Brickellia californica</i>	California Brickellbush	S	FACU	Asteraceae
<i>Brickellia nevinii</i>	Nevin Brickellbush	S	.	Asteraceae
<i>Bromus carinatus</i> var. <i>carinatus</i>	California Brome	PG	.	Poaceae
<i>Bromus diandrus</i> *	Ripgut Brome	AG	(FACU)	Poaceae
<i>Bromus madritensis</i> ssp. <i>rubens</i> *	Red Brome	AG	NI	Poaceae
<i>Bromus tectorum</i> var. <i>tectorum</i> *	Downy Brome, Cheat Grass	AG	.	Poaceae
<i>Calocedrus decurrens</i>	Incense Cedar	T	.	Cupressaceae
<i>Calochortus catalinae</i>	Catalina Mariposa Lily	PG	.	Liliaceae
<i>Calochortus clavatus</i> var. <i>clavatus</i>	Yellow Mariposa Lily	PG	.	Liliaceae
<i>Calochortus clavatus</i> var. <i>pallidus</i>	Pale Yellow Mariposa Lily	PG	.	Liliaceae
<i>Calochortus invenustus</i>	Plain Mariposa Lily	PG	.	Liliaceae
<i>Calochortus kennedyi</i> var. <i>kennedyi</i>	Red Mariposa Lily	PG	.	Liliaceae
<i>Calochortus splendens</i>	Splendid Mariposa Lily	PG	.	Liliaceae
<i>Calochortus venustus</i>	Butterfly Lily	PG	.	Liliaceae
<i>Calochortus weedii</i> var. <i>vestus</i>	Weed Mariposa Lily	PG	.	Liliaceae
<i>Calyptridium monandrum</i>	Common Calyptridium	AH	.	Portulacaceae
<i>Calyptridium monospermum</i>	One-seeded Pussy Paws	AH	.	Portulacaceae
<i>Calyptridium parryi</i>	Parry Calyptridium	AH	.	Portulacaceae
<i>Calyptridium umbellatum</i>	Pussy Paws	AH	.	Portulacaceae
<i>Calystegia malacophylla</i> ssp. <i>pedicellata</i>	Sierra Morning-glory	PV	.	Convolvulaceae
<i>Calystegia malacophylla</i> ssp. <i>tomentella</i> var. <i>deltoidea</i>	Tehachapi Morning-glory	PV	.	Convolvulaceae
<i>Calystegia occidentalis</i> ssp. <i>fulcrata</i>	Western Morning-glory	PV	.	Convolvulaceae
<i>Calystegia occidentalis</i> ssp. <i>tomentella</i>	Woolly Western Morning-glory	PV	.	Convolvulaceae
<i>Camissonia boothii</i> ssp. <i>decorticans</i>	Booth Shreading Primrose	AH	.	Onagraceae
<i>Camissonia californica</i>	Mustard Primrose	AH	.	Onagraceae
<i>Camissonia campestris</i> ssp. <i>campestris</i>	Mojave Sun-cup	AH	.	Onagraceae
<i>Cardaria pubescens</i> *	White-top	PH	.	Brassicaceae
<i>Carex abrupta</i>	Abrupt Sedge	PG	(FACW)	Cyperaceae
<i>Carex alma</i>	Sturdy Sedge	PG	FACW*	Cyperaceae
<i>Carex athrostachya</i>	Slender-beaked Sedge	PG	FACW	Cyperaceae
<i>Carex aurea</i>	Golden-fruited Sedge	PG	OBL	Cyperaceae
<i>Carex bolanderi</i>	Bolander Sedge	PG	FACW	Cyperaceae
<i>Carex douglasii</i>	Douglas Sedge	PG	FACU	Cyperaceae
<i>Carex fracta</i>	Fragile-sheathed Sedge	PG	.	Cyperaceae
<i>Carex lanuginosa</i>	Woolly Sedge	PG	OBL	Cyperaceae
<i>Carex nebrascensis</i>	Nebraska Sedge	PG	OBL	Cyperaceae
<i>Carex praegracilis</i>	Clustered Field Sedge	PG	FACW-	Cyperaceae
<i>Carex schottii</i>	Schott Sedge	PG	OBL	Cyperaceae
<i>Carex subfusca</i>	Brown Sedge	PG	FAC-	Cyperaceae
<i>Castilleja angustifolia</i>	Desert Indian Paintbrush	PH	.	Orobanchaceae
<i>Castilleja applegatei</i> ssp. <i>disticha</i>	Eastwood Indian Paintbrush	PH	.	Orobanchaceae
<i>Castilleja applegatei</i> ssp. <i>martinii</i>	Martin Indian Paintbrush	PH	.	Orobanchaceae
<i>Castilleja miniata</i> var. <i>miniata</i>	Great Red Indian Paintbrush	PH	FACW	Orobanchaceae
<i>Castilleja minor</i> ssp. <i>spiralis</i>	Large-flowered Annual Indian Paintbrush	AH	OBL	Orobanchaceae
<i>Castilleja subinclusa</i> ssp. <i>subinclusa</i>	Long-leaved Indian Paintbrush	PH	.	Orobanchaceae
<i>Caulanthus amplexicaulis</i> var. <i>amplexicaulis</i>	Clasping-leaved Jewelflower	AH	.	Brassicaceae
<i>Ceanothus cordulatus</i>	Mountain Whitethorn	S	.	Rhamnaceae
<i>Ceanothus integerrimus</i>	Deer Brush	S	.	Rhamnaceae
<i>Ceanothus leucodermis</i>	Chaparral Whitethorn	S	.	Rhamnaceae
<i>Centrostegia thurberi</i> var. <i>thurberi</i>	Thurber Spineflower	AH	.	Polygonaceae
<i>Cercocarpus betuloides</i> var. <i>betuloides</i>	Birchleaf Mountain Mahogany	S	.	Rosaceae

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California

David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family
<i>Cercocarpus ledifolius</i> var. <i>intermontanus</i>	Curlleaf Mountain Mahogany	S	.	Rosaceae
<i>Chaenactis glabriuscula</i> var. <i>glabriuscula</i>	Common Yellow Pincushion	AH	.	Asteraceae
<i>Chaenactis santolinoides</i>	Perennial Pin-cushion	PH	.	Asteraceae
<i>Chaenactis stevioides</i>	Desert Pincushion	AH	.	Asteraceae
<i>Chaenactis xantiana</i>	Xantus Pincushion	AH	.	Asteraceae
<i>Chenopodium fremontii</i>	Fremont Goosefoot	AH	FAC*	Chenopodiaceae
<i>Chenopodium pratericola</i>	Narrow-leaved Goosefoot	PH	.	Chenopodiaceae
<i>Chrysothamnus nauseosus</i> ssp. <i>albicaulis</i>	White-stemmed Rabbitbrush	S	.	Asteraceae
<i>Chrysothamnus nauseosus</i> ssp. <i>bernardinus</i>	San Bernardino Rabbitbrush	S	.	Asteraceae
<i>Chrysothamnus nauseosus</i> ssp. <i>consimilis</i>	Common Rubber Rabbitbrush	S	.	Asteraceae
<i>Chrysothamnus nauseosus</i> ssp. <i>mohavensis</i>	Mojave Rabbitbrush	S	.	Asteraceae
<i>Chrysothamnus parryi</i> ssp. <i>asper</i>	Parry Rabbitbrush	S	.	Asteraceae
<i>Chrysothamnus viscidiflorus</i> ssp. <i>viscidiflorus</i>	Sticky Leaved Rabbitbrush	S	.	Asteraceae
<i>Circaea alpina</i> ssp. <i>pacifica</i>	Enchanter's Nightshade	PH	FACW	Onagraceae
<i>Cirsium occidentale</i> var. <i>californicum</i>	California Thistle	BH	.	Asteraceae
<i>Cirsium occidentale</i> var. <i>venustum</i>	Red Thistle	BH	.	Asteraceae
<i>Cirsium scariosum</i>	Elk Thistle	BH	.	Asteraceae
<i>Clarkia xantiana</i>	Xantus Clarkia	AH	.	Onagraceae
<i>Claytonia rubra</i> ssp. <i>rubra</i>	Red Miner's Lettuce	AH	FAC	Portulacaceae
<i>Clematis ligusticifolia</i>	Virgin's Bower	PV	FAC	Ranunculaceae
<i>Collinsia parviflora</i>	Small-flowered Blue-eyed Mary	AH	.	Plantaginaceae
<i>Collinsia torreyi</i> var. <i>wrightii</i>	Wright Blue-eyed Mary	AH	.	Plantaginaceae
<i>Cordylanthus nevinii</i>	Nevin Bird's Beak	AH	.	Orobanchaceae
<i>Coreopsis bigelovii</i>	Bigelow Coreopsis	AH	.	Asteraceae
<i>Cornus nuttallii</i> ?	Mountain Dogwood	T	.	Cornaceae
<i>Crepis acuminata</i>	Long-leaved Hawksbeard	PH	.	Asteraceae
<i>Crepis occidentalis</i> ssp. <i>occidentalis</i>	Western Hawksbeard	PH	.	Asteraceae
<i>Crepis occidentalis</i> ssp. <i>pumila</i>	Western Hawksbeard	PH	.	Asteraceae
<i>Cryptantha barbiger</i>	Bearded Forget-me-not	AH	.	Boraginaceae
<i>Cryptantha circumcissa</i>	Greenocharis	AH	.	Boraginaceae
<i>Cryptantha echinella</i>	Prickly Forget-me-not	AH	.	Boraginaceae
<i>Cryptantha intermedia</i>	Common Forget-Me-Not	AH	.	Boraginaceae
<i>Cryptantha micrantha</i>	Eremocarya	AH	.	Boraginaceae
<i>Cryptantha muricata</i>	Jones Prickly Forget-me-not	AH	.	Boraginaceae
<i>Cryptantha oxygona</i>	Sharp-not Forget-Me-Not	AH	.	Boraginaceae
<i>Cystopteris fragilis</i>	Brittle Fern	PF	FACU	Aspleniaceae
<i>Delphinium gracilentum</i>	Coast Larkspur	PH	.	Ranunculaceae
<i>Delphinium inopinum</i>	Kern River Canyon Larkspur	PH	.	Ranunculaceae
<i>Delphinium parishii</i> ssp. <i>pallidum</i>	Pale-flowered Larkspur	PH	.	Ranunculaceae
<i>Delphinium parishii</i> ssp. <i>purpureum</i>	Mount Pinos Larkspur	PH	.	Ranunculaceae
<i>Delphinium patens</i> ssp. <i>montanum</i>	Mountain Larkspur	PH	.	Ranunculaceae
<i>Deschampsia cespitosa</i>	Tufted Hair-grass	PG	FACW	Poaceae
<i>Deschampsia danthanoides</i>	Annual Hairgrass	AG	FACW	Poaceae
<i>Descurainia obtusa</i> ssp. <i>adenophora</i>	Desert Tansy Mustard	BH	.	Brassicaceae
<i>Descurainia pinnata</i> ssp. <i>menziesii</i>	Menzies Tansy Mustard	AH	.	Brassicaceae
<i>Dodecatheon alpinum</i>	Alpine Shooting Star	PH	.	Primulaceae
<i>Downingia bella</i>	Downingia	AH	OBL	Campanulaceae
<i>Eleocharis acicularis</i>	Slender Spike-rush	PG	OBL	Cyperaceae
<i>Eleocharis bernardina</i>	Few-flowered Club-rush	PG	FACW	Cyperaceae
<i>Elymus elymoides</i> ssp. <i>elymoides</i>	Bottlebrush Squirreltail	PG	FACU-	Poaceae
<i>Elymus glaucus</i> ssp. <i>glaucus</i>	Blue Wildrye	PG	FACU	Poaceae
<i>Elymus stebbinsii</i>	Wheatgrass	PG	.	Poaceae
<i>Elymus trachycaulus</i> ssp. <i>trachycaulus</i>	Slender Wheatgrass	PG	NI*	Poaceae
<i>Emmenanthe penduliflora</i> var. <i>penduliflora</i>	Whispering Bells	AH	.	Boraginaceae
<i>Enemion occidentale</i> ?	Western Rue-anemone	PH	.	Ranunculaceae
<i>Ephedra viridis</i> var. <i>viridis</i>	Green Mormon Tea	S	.	Ephedraceae
<i>Epilobium brachycarpum</i>	Panicled Willow-herb	AH	.	Onagraceae
<i>Epilobium canum</i> ssp. <i>latifolium</i>	Broad-leaved California Fuchsia	PH	.	Onagraceae
<i>Epilobium ciliatum</i> ssp. <i>ciliatum</i>	Northern Willow-herb	AH	FACW	Onagraceae

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California

David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family
<i>Epilobium ciliatum</i> ssp. <i>glandulosum</i>	Sticky Northern Willow-herb	AH	.	Onagraceae
<i>Epilobium glaberrinum</i> ssp. <i>glaberrinum</i>	Waxy Willow-herb	AH	OBL	Onagraceae
<i>Epipactis gigantea</i>	Stream Orchid	PG	OBL	Orchidaceae
<i>Equisetum arvense</i>	Common Horsetail	PF	FAC	Equisetaceae
<i>Equisetum laevigatum</i>	Smooth Scouring-rush	PF	FACW	Equisetaceae
<i>Eriastrum densifolium</i> ssp. <i>austromontanum</i>	Mountain Woolly Star	PH	.	Polemoniaceae
<i>Eriastrum densifolium</i> ssp. <i>mohavensis</i>	Mojave Woolly Star	PH	.	Polemoniaceae
<i>Eriastrum eremicum</i> ssp. <i>eremicum</i>	Desert Woolly Star	AH	.	Polemoniaceae
<i>Eriastrum pluriflorum</i>	Many-flowered or Tehachapi Woolly	AH	.	Polemoniaceae
<i>Eriastrum sparsiflorum</i>	Saphire Woolly Star	AH	.	Polemoniaceae
<i>Ericameria linearifolia</i>	Interior Goldenbush	S	.	Asteraceae
<i>Erigeron foliosus</i> var. <i>foliosus</i>	Slender Fleabane	PH	.	Asteraceae
<i>Eriodictyon crassifolium</i> var. <i>nigrescens</i>	Thickleaf Yerba Santa	S	.	Boraginaceae
<i>Eriogonum angulosum</i>	Angle-stemmed Buckwheat	AH	.	Polygonaceae
<i>Eriogonum baileyi</i> var. <i>baileyi</i>	Bailey Buckwheat	AH	.	Polygonaceae
<i>Eriogonum cithariforme</i>	Cithara Buckwheat	AH	.	Polygonaceae
<i>Eriogonum davidsonii</i>	Davidson Buckwheat	AH	.	Polygonaceae
<i>Eriogonum deflexum</i> var. <i>baratum</i>	Flat-crown Buckwheat	AH	.	Polygonaceae
<i>Eriogonum elongatum</i>	Long-stemmed Buckwheat	PH	.	Polygonaceae
<i>Eriogonum fasciculatum</i> ssp. <i>polifolium</i>	Hoary California Buckwheat	S	.	Polygonaceae
<i>Eriogonum gracile</i>	Slender Woolly Buckwheat	AH	.	Polygonaceae
<i>Eriogonum heermannii</i> var. <i>heermannii</i>	Heermann Buckwheat	S	.	Polygonaceae
<i>Eriogonum kennedyi</i> ssp. <i>alpigenum</i>	Alpine Kennedy Buckwheat	S	.	Polygonaceae
<i>Eriogonum kennedyi</i> ssp. <i>austromontanum</i>	Southern Mountain Buckwheat	S	.	Polygonaceae
<i>Eriogonum kennedyi</i> ssp. <i>kennedyi</i>	Kennedy Buckwheat	S	.	Polygonaceae
<i>Eriogonum maculatum</i>	Buckwheat	AH	.	Polygonaceae
<i>Eriogonum molestum</i>	Pine Buckwheat	AH	.	Polygonaceae
<i>Eriogonum nudum</i> var. <i>pauciflorum</i>	Tibinagua	PH	.	Polygonaceae
<i>Eriogonum nudum</i> var. <i>pubiflorum</i>	Hairy-flowered Barestem Buckwheat	PH	.	Polygonaceae
<i>Eriogonum nudum</i> var. <i>westonii</i>	Weston Barestem Buckwheat	PH	.	Polygonaceae
<i>Eriogonum roseum</i>	Rose Buckwheat	AH	.	Polygonaceae
<i>Eriogonum saxatile</i>	Rock Buckwheat	PH	.	Polygonaceae
<i>Eriogonum spergulinum</i> ssp. <i>reddingianum</i>	Spurry Buckwheat	PH	.	Polygonaceae
<i>Eriogonum tricopes</i> var. <i>trichopes</i>	Little Trumpet	AH	.	Polygonaceae
<i>Eriogonum umbellatum</i> ssp. <i>furcosum</i>	Sulphur Buckwheat	S	.	Polygonaceae
<i>Eriogonum umbellatum</i> ssp. <i>munzii</i>	Munz Yellow Buckwheat	PH	.	Polygonaceae
<i>Eriogonum wrightii</i> var. <i>subscaposum</i>	Short-scape Wright Buckwheat	S	.	Polygonaceae
<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	Golden Yarrow	PH	.	Asteraceae
<i>Erodium cicutarium</i> *	Redstem Filaree	AH	.	Gentianaceae
<i>Erysimum capitatum</i> var. <i>capitatum</i>	Western Wallflower	AH	.	Brassicaceae
<i>Euphorbia palmeri</i> var. <i>palmeri</i>	Wood Spurge	AH	.	Euphorbiaceae
<i>Fremontodendron californicum</i> ssp. <i>californicum</i>	California Flannel Bush	S	.	Malvaceae
<i>Fritillaria pinetorum</i>	Pine Fritillary	PG	.	Liliaceae
<i>Galium andrewsii</i> ssp. <i>andrewsii</i>	Pine Mat	PH	.	Rubiaceae
<i>Galium andrewsii</i> ssp. <i>intermedium</i>	Intermediate Pine Mat	PH	.	Rubiaceae
<i>Galium angustifolium</i> ssp. <i>angustifolium</i>	Chaparral Bedstraw	S	.	Rubiaceae
<i>Galium bifolium</i>	Low Mountain Bedstraw	AH	.	Rubiaceae
<i>Galium hallii</i>	Nodding Bedstraw	PH	.	Rubiaceae
<i>Garrya flavescens</i> ssp. <i>pallida</i>	Pallid Silk-tassel	S	.	Garryaceae
<i>Gayophytum diffusum</i> ssp. <i>parviflorum</i>	Diffuse Gayophytum	AH	.	Onagraceae
<i>Gayophytum racemosum</i>	Black-foot Gayophytum	AH	.	Onagraceae
<i>Gilia brecciarum</i> ssp. <i>breccianum</i>	Breccia Gilia	AH	.	Polemoniaceae
<i>Gilia brecciarum</i> ssp. <i>jacens</i>	Purple-flowered Breccia Gilia	AH	.	Polemoniaceae
<i>Gilia capillaris</i>	Smooth-leaved Gilia	AH	.	Polemoniaceae
<i>Gilia interior</i>	Slender-flowered Gilia	AH	.	Polemoniaceae
<i>Gilia leptantha</i> ssp. <i>pinetorum</i>	Broad-flowered Gilia	AH	.	Polemoniaceae
<i>Gilia ochroleuca</i> ssp. <i>bizonata</i>	Desert Gilia	AH	.	Polemoniaceae
<i>Gilia sinuata</i>	Sinuata Gilia	AH	.	Polemoniaceae
<i>Gilia splendens</i> ssp. <i>splendens</i>	Splendid Gilia	AH	.	Polemoniaceae

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California

David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Gilia tetrabreccia</i>	Mount Piños Gilia	AH	.		Polemoniaceae
<i>Gnaphalium palustre</i>	Lowland Cudweed	AH	FACW-		Asteraceae
<i>Guillenia lasiophylla</i>	California Mustard	AH	.		Brassicaceae
<i>Guillenia lemmonii</i>	Lemmon Mustard	AH	.		Brassicaceae
<i>Helenium bigelovii</i>	Bigelow Sneezeweed	PH	OBL		Asteraceae
<i>Hemizonella minima</i>	Hemizonella	AH	.		Asteraceae
<i>Hesperoyucca whipplei</i> ssp. <i>cespitosa</i>	Clumping Our Lord's Candle	S	.		Agavaceae
<i>Hesperoyucca whipplei</i> ssp. <i>whipplei</i>	Our Lord's Candle	S	.		Agavaceae
<i>Heuchera elegans</i>	Urn-flowered Alumroot	PH	.		Saxifragaceae
<i>Holodiscus microphyllus</i> var. <i>microphyllus</i>	Rock Spirea	S	.		Rosaceae
<i>Hordeum brachyantherum</i> ssp. <i>brachyantherum</i>	Meadow Barley	AG	FACW		Poaceae
<i>Hordeum murinum</i> ssp. <i>glaucum</i> *	Summer Barley	AG	.		Poaceae
<i>Horkelia rydbergii</i>	Rydberg Horkelia	PH	.		Rosaceae
<i>Hypericum formosum</i> var. <i>scouleri</i>	St. John's Wort	PH	FACW		Clusiaceae
<i>Iris missouriensis</i>	Blue Flag Iris	PH	OBL		Iridaceae
<i>Isomeris arborea</i>	Bladderpod	S	.		Brassicaceae
<i>Iva axillaris</i> ssp. <i>robustior</i>	Poverty Weed	PH	FAC		Asteraceae
<i>Ivesia santolinooides</i>	Mouse-tail Ivesia	PH	.		Rosaceae
<i>Juncus arcticus</i> ssp. <i>vallicola</i>	Baltic Rush	PG	FACW		Juncaceae
<i>Juncus arcticus</i> var. <i>mexicanus</i>	Mexican Rush	PG	FACW		Juncaceae
<i>Juncus balticus</i>	Baltic Rush	PG	OBL		Juncaceae
<i>Juncus ensifolius</i> var. <i>ensifolius</i>	Swordleaf Rush	PG	FACW		Juncaceae
<i>Juncus macrandrus</i>	Long-anthered Rush	PG	OBL		Juncaceae
<i>Juncus nevadensis</i>	Sierra Rush	PG	OBL		Juncaceae
<i>Juncus oxymiris</i>	Iris-leaved Rush	PG	FACW		Juncaceae
<i>Juncus rugulosus</i>	Wrinkled Rush	PG	OBL		Juncaceae
<i>Juncus xiphioides</i>	Iris-leaved Rush	PG	OBL		Juncaceae
<i>Juniperus californica</i>	California Juniper	S	.		Cupressaceae
<i>Keckiella breviflora</i> var. <i>breviflora</i>	Stubflower Penstemon, Gaping Beardton	S	.		Plantaginaceae
<i>Koeleria macrantha</i>	Junegrass	PG	.		Poaceae
<i>Lactuca serriola</i> *	Prickly Wild Lettuce	AH	FAC		Asteraceae
<i>Lathyrus vestitus</i> ssp. <i>bolanderi</i>	White-petaled Peavine	PV	.		Fabaceae
<i>Layia glandulosa</i> ssp. <i>glandulosa</i>	White Layia	AH	.		Asteraceae
<i>Lepidium virginicum</i> var. <i>pubescens</i>	Hairy Poorman's Peppergrass	AH	FACU		Brassicaceae
<i>Leptodactylon pungens</i> ssp. <i>hallii</i>	Granite Prickly Phlox	S	.		Polemoniaceae
<i>Lessingia filaginifolia</i> var. <i>filaginifolia</i>	California Cudweed-aster	PH	.		Asteraceae
<i>Lessingia lemmonii</i> var. <i>lemmonii</i>	Lemmon Lessingia	AH	.		Asteraceae
<i>Lessingia tenuis</i>	Spring Lessingia	AH	.		Asteraceae
<i>Lewisia pygmaea</i> ?	Pygmy Bitterroot	PH	FACW+		Portulacaceae
<i>Lewisia rediviva</i> ssp. <i>minor</i>	Small Bitterroot	PH	.		Portulacaceae
<i>Leymus condensatus</i>	Giant Wildrye	PG	FACU		Poaceae
<i>Leymus triticoides</i>	Creeping Wildrye	PG	FAC+		Poaceae
<i>Lilium pardalinum</i> ssp. <i>pardalinum</i>	Leopard Lily	PG	OBL		Liliaceae
<i>Linanthus aureus</i> ssp. <i>aureus</i>	Desert Gold	AH	.		Polemoniaceae
<i>Linanthus bigelovii</i>	Bigelow Linanthus	AH	.		Polemoniaceae
<i>Linanthus dichotomus</i>	Evening Snow	AH	.		Polemoniaceae
<i>Linum lewisii</i>	Western Blue Flax	PH	.		Linaceae
<i>Lomatium mohavense</i> ssp. <i>mohavense</i>	Desert-parsley, Mojave Lomatium	PH	.		Apiaceae
<i>Lomatium utriculatum</i>	Foothill Lomatium	PH	.		Apiaceae
<i>Lonicera interrupta</i>	Chaparral Honeysuckle	S	.		Caprifoliaceae
<i>Lonicera subspicata</i> var. <i>denudata</i>	Southern Honeysuckle	S	.		Caprifoliaceae
<i>Lotus argophyllus</i> ssp. <i>argophyllus</i>	Silver Deervetch	PH	.		Fabaceae
<i>Lotus crassifolius</i> var. <i>crassifolius</i>	Broad-leaved Hosackia	PH	.		Fabaceae
<i>Lotus humistratus</i>	Hill Lotus	AH	.		Fabaceae
<i>Lotus junceus</i>	Rush Hosackia	AH	.		Fabaceae
<i>Lotus nevadensis</i> var. <i>davidsonii</i>	Davidson Lotus	PH	.		Fabaceae
<i>Lotus nevadensis</i> var. <i>nevadensis</i>	Sierra Nevada Hosackia	PH	.		Fabaceae
<i>Lotus oblongifolius</i> var. <i>oblongifolius</i>	Stream Trefoil	PH	OBL		Fabaceae
<i>Lotus procumbens</i> var. <i>procumbens</i>	Silky California Broom	PH	.		Fabaceae

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California

David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family
<i>Lotus wranglianus</i>	Chile Lotus	AH	.	Fabaceae
<i>Lupinus adsurgens</i> var. <i>undulatus</i>	Silky Lupine	PH	.	Fabaceae
<i>Lupinus albifrons</i> var. <i>albifrons</i>	Silver Bush Lupine	S	.	Fabaceae
<i>Lupinus andersonii</i>	Anderson Lupine	PH	.	Fabaceae
<i>Lupinus breweri</i> var. <i>breweri</i>	Brewer Lupine	PH	.	Fabaceae
<i>Lupinus breweri</i> var. <i>bryoides</i>	Alpine Brewer Lupine	PH	.	Fabaceae
<i>Lupinus densiflorus</i> var. <i>glareosus</i>	White Whorled Lupine	AH	.	Fabaceae
<i>Lupinus elatus</i>	Johnston Silky Lupine	PH	.	Fabaceae
<i>Lupinus excubitus</i> var. <i>austromontanus</i>	Southern Mountain Bush Lupine	S	.	Fabaceae
<i>Lupinus excubitus</i> var. <i>excubitus</i>	Grape Sode Lupine	S	.	Fabaceae
<i>Lupinus excubitus</i> var. <i>johnstonii</i>	Johnston Bush Lupine	S	.	Fabaceae
<i>Lupinus formosus</i> var. <i>formosus</i>	Summer Bush Lupine	PH	.	Fabaceae
<i>Lupinus latifolius</i> var. <i>parishii</i>	Parish Broad-leaved Lupine	PH	(OBL)	Fabaceae
<i>Lupinus lepidus</i> var. <i>confertus</i>	Prairie Lupine	PH	.	Fabaceae
<i>Lupinus microcarpus</i> var. <i>microcarpus</i>	Red-flowered Lupine	AH	.	Fabaceae
<i>Lupinus polyphyllus</i> ssp. <i>burkei</i>	Large-leaved Lupine	PH	FACW	Fabaceae
<i>Luzula comosa</i> ?	Wood Rush	PG	NI	Juncaceae
<i>Machaeranthera canescens</i> ssp. <i>canescens</i>	Hoary Aster	BH	.	Asteraceae
<i>Madia elegans</i> ssp. <i>elegans</i>	Common Tarplant	AH	.	Asteraceae
<i>Madia elegans</i> ssp. <i>wheeleri</i>	Wheeler Tarplant	AH	.	Asteraceae
<i>Madia minima</i>	Tiny Madia	AH	.	Asteraceae
<i>Maianthemum racemosum</i> ssp. <i>amplexicaule</i>	False Solomon's Seal	PG	(OBL)	Convallariaceae
<i>Maianthemum stellatum</i> ?	False Solomon's Seal	PG	(OBL)	Convallariaceae
<i>Malacothamnus fasciculatus</i> ssp. <i>fasciculatus</i>	Chaparral Bush Mallow	S	.	Malvaceae
<i>Malacothamnus fremontii</i>	Fremont Bushmallow	S	.	Malvaceae
<i>Malacothamnus marrubioides</i>	Pink-flowered Bush Mallow	S	.	Malvaceae
<i>Malacothrix floccifera</i>	Woolly Dandelion	AH	.	Asteraceae
<i>Malacothrix saxatilis</i> var. <i>altissima</i>	Cliff-aster	PH	.	Asteraceae
<i>Marrubium vulgare</i> *	White Horehound	PH	FAC	Lamiaceae
<i>Melica imperfecta</i>	Coast Melic Grass	PG	.	Poaceae
<i>Melica stricta</i> var. <i>stricta</i>	Nodding Melic Grass	PG	.	Poaceae
<i>Mentzelia congesta</i> var. <i>congesta</i>	Congested Stickleaf	AH	.	Loasaceae
<i>Mentzelia congesta</i> var. <i>davidsoniana</i>	Ventana Stickleaf	AH	.	Loasaceae
<i>Mentzelia dispersa</i>	Scattered Stickleaf	AH	.	Loasaceae
<i>Mentzelia montana</i> ssp. <i>montana</i>	Mountain Stickleaf	AH	.	Loasaceae
<i>Microsteris gracilis</i> ssp. <i>humilis</i>	Slender Phlox	AH	FACU*	Polemoniaceae
<i>Mimulus aurantiacus</i> var. <i>pubescens</i>	Fuzzy Bush Monkeyflower	S	.	Phrymaceae
<i>Mimulus brevipes</i>	Short-throat Monkeyflower	AH	.	Phrymaceae
<i>Mimulus breweri</i>	Brewer Monkeyflower	AH	.	Phrymaceae
<i>Mimulus cardinalis</i>	Scarlet Monkeyflower	PH	OBL	Phrymaceae
<i>Mimulus constrictus</i>	Narrow-throated Monkeyflower	AH	.	Phrymaceae
<i>Mimulus floribundus</i>	Floriferous Monkeyflower	AH	OBL	Phrymaceae
<i>Mimulus guttatus</i>	Common Streamside Monkeyflower	PH	OBL	Phrymaceae
<i>Mimulus moschatus</i> var. <i>longiflorus</i>	Musk Flower	AH	OBL	Phrymaceae
<i>Mimulus pilosus</i>	Pilose Monkeyflower	AH	OBL	Phrymaceae
<i>Mimulus primuloides</i> var. <i>primuloides</i>	Primrose Monkeyflower	PH	OBL	Phrymaceae
<i>Mimulus suksdorfii</i>	Suksdorf Monkeyflower	AH	FACW*	Phrymaceae
<i>Minuartia douglasii</i>	Douglas Sandwort	AH	.	Caryophyllaceae
<i>Monardella lanceolata</i>	Mustang Mint	AH	.	Lamiaceae
<i>Monardella linioides</i> ssp. <i>oblonga</i>	Flax-leaved Horsemint	PH	.	Lamiaceae
<i>Montia chamissoi</i>	Toad-lily	PH	OBL	Portulacaceae
<i>Muilla maritima</i>	Common Muilla	PG	.	Poaceae
<i>Nassella cernua</i>	Foothill Needlegrass	PG	.	Poaceae
<i>Nemacladus sigmoideus</i>	Thread Stem	AH	.	Lobeliaceae
<i>Nicotiana attenuata</i>	Coyote Tobacco	AH	FAC	Solanaceae
<i>Orobanche californica</i> ssp. <i>feudgei</i>	California Sagebrush Broomrape	PH	.	Orobanchaceae
<i>Orobanche fasciculata</i>	Clustered Broom-rape	PH	.	Orobanchaceae
<i>Orobanche parishii</i> ssp. <i>parishii</i>	Parish Broomrape	PH	.	Orobanchaceae
<i>Oxytheca parishii</i> var. <i>abramsii</i>	Abrams Spineflower	AH	.	Polygonaceae

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California

David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family
<i>Pectocarya setosa</i>	Setose Pectocarya	AH	.	Boraginaceae
<i>Pedicularis semibarbata</i>	Pine-woods Lousewort	PH	.	Orobanchaceae
<i>Penstemon centranthifolius</i>	Scarlet Bugler	PH	.	Plantaginaceae
<i>Penstemon grinnellii</i> ssp. <i>grinnellii</i>	Grinnell Beardtongue	PH	.	Plantaginaceae
<i>Penstemon labrosus</i>	San Gabriel Penstemon	PH	.	Plantaginaceae
<i>Penstemon rostriflorus</i>	Bridges Penstemon	PH	.	Plantaginaceae
<i>Penstemon speciosus</i>	Showy Beardtongue	PH	.	Plantaginaceae
<i>Perideridia gairdneri</i> ssp. <i>gairdneri</i>	Gairdner Yampah	PH	FACW	Apiaceae
<i>Perideridia parishii</i> ssp. <i>latifolia</i>	Parish Yampah	PH	.	Apiaceae
<i>Phacelia austromontana</i>	Low Phacelia	AH	.	Boraginaceae
<i>Phacelia cicutaria</i> var. <i>hispida</i>	Hispid Caterpillar Phacelia	AH	.	Boraginaceae
<i>Phacelia curvipes</i> var. <i>curvipes</i>	Washoe Phacelia	AH	.	Boraginaceae
<i>Phacelia davidsonii</i>	Davidson Phacelia	AH	.	Boraginaceae
<i>Phacelia distans</i>	Wild Heliotrope	AH	.	Boraginaceae
<i>Phacelia egena</i>	Rock Phacelia	PH	.	Boraginaceae
<i>Phacelia fremontii</i>	Fremont Phacelia	AH	.	Boraginaceae
<i>Phacelia imbricata</i> ssp. <i>imbricata</i>	Imbricate Phacelia	PH	.	Boraginaceae
<i>Phacelia imbricata</i> ssp. <i>patula</i>	Mountain Phacelia	PH	.	Boraginaceae
<i>Phacelia mohavensis</i>	Mojave Phacelia	AH	.	Boraginaceae
<i>Phacelia oreopola</i> ssp. <i>oreopola</i>	Mountain Phacelia	PH	.	Boraginaceae
<i>Phacelia ramosissima</i> var. <i>latifolia</i>	Branching Phacelia	PH	.	Boraginaceae
<i>Phlox austromontana</i>	Spreading Phlox	PH	.	Polemoniaceae
<i>Phlox diffusa</i>	Mat Phlox	S	.	Polemoniaceae
<i>Phlox gracilis</i>	Slender Phlox	AH	FACU*	Polemoniaceae
<i>Phlox hoodii</i> ssp. <i>canescens</i>	Fuzzy Hood Phlox	PH	.	Polemoniaceae
<i>Phlox rigida</i>	Rigid Mat Phlox	S	.	Polemoniaceae
<i>Phoradendron densum</i>	Fir Mistletoe	PH	.	Viscaceae
<i>Phoradendron libocedri</i>	Incense-cedar Mistletoe	PH	.	Viscaceae
<i>Phoradendron villosum</i>	Hairy or Oak Mistletoe	PH	.	Viscaceae
<i>Pinus flexilis</i>	Limber Pine	T	.	Pinaceae
<i>Pinus jeffreyi</i>	Jeffrey Pine	T	.	Pinaceae
<i>Pinus lambertiana</i>	Sugar Pine	T	.	Pinaceae
<i>Pinus monophylla</i>	Singleleaf Pinyon Pine	T	.	Pinaceae
<i>Pinus ponderosa</i> var. <i>ponderosa</i>	Pacific Ponderosa Pine	T	.	Pinaceae
<i>Platanthera leucostachys</i>	White-flowered Bog-Orchid	PG	OBL	Orchidaceae
<i>Poa pratensis</i> ssp. <i>pratensis</i>	Kentucky Bluegrass	PG	FACU	Poaceae
<i>Poa secunda</i> ssp. <i>secunda</i>	One-sided Bluegrass	PG	.	Poaceae
<i>Polygonum douglasii</i> ssp. <i>johnstonii</i>	Sawatch Knotweed	AH	FACU	Polygonaceae
<i>Polygonum polygaloides</i> ssp. <i>kelloggii</i>	Kellogg Knotweed	AH	NI	Polygonaceae
<i>Potentilla biennis</i>	Biennial Cinquifoil	BH	FACW	Rosaceae
<i>Potentilla glandulosa</i> ssp. <i>glandulosa</i>	Sticky Cinquifoil	PH	FAC	Rosaceae
<i>Potentilla glandulosa</i> ssp. <i>nevadensis</i>	Sierra Nevada Cinquifoil	PH	FAC	Rosaceae
<i>Potentilla glandulosa</i> ssp. <i>reflexa</i>	Greene Cinquifoil	PH	FAC	Rosaceae
<i>Potentilla gracilis</i> var. <i>elmeri</i>	Elmer Slender Cinquifoil	PH	FACW	Rosaceae
<i>Potentilla norvegica</i>	Rough Cinquifoil	A\BH	FAC*	Rosaceae
<i>Prunus virginiana</i> var. <i>demissa</i>	Western Choke Cherry	S	.	Rosaceae
<i>Pseudognaphalium stramineum</i>	Western Everlasting Cottonbatting	BH	FAC-	Asteraceae
<i>Pseudotsuga macrocarpa</i>	Big-cone Spruce	T	.	Pinaceae
<i>Purshia tridentata</i> var. <i>glandulosa</i>	Antelope Bush	S	.	Rosaceae
<i>Quercus berberidifolia</i>	California Scrub Oak	S	.	Fagaceae
<i>Quercus chrysolepis</i>	Canyon Live or Golden-cup Oak	T	.	Fagaceae
<i>Quercus john-tuckeri</i>	Tucker Oak	S	.	Fagaceae
<i>Quercus kelloggii</i>	Black Oak	T	.	Fagaceae
<i>Quercus turbinella</i> ssp. <i>turbinella</i>	Sonoran Scrub or Desert Oak	S	.	Fagaceae
<i>Quercus wislizenii</i> ssp. <i>wislizenii</i>	Interior Live Oak	T	.	Fagaceae
<i>Ranunculus canus</i> var. <i>ludovicianus?</i>	Transverse Ranges Buttercup	PH	FAC*	Ranunculaceae
<i>Ranunculus cymbalaria</i>	Desert Buttercup	PH	OBL	Ranunculaceae
<i>Rhamnus ilicifolia</i>	Hollyleaf Redberry	S	.	Rhamnaceae
<i>Rhamnus tomentella</i> ssp. <i>cuspidata</i>	Cuspid Hoary Coffeeberry	S	.	Rhamnaceae

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California

David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family
<i>Rhamnus tomentella</i> ssp. <i>tomentella</i>	Hoary Coffeeberry	S	.	Rhamnaceae
<i>Ribes cereum</i> var. <i>cereum</i>	Squaw Currant	S	NI	Grossulariaceae
<i>Ribes montigenum</i>	Alpine Prickly Currant	S	.	Grossulariaceae
<i>Ribes nevadense</i>	Sierra Pink Currant	S	.	Grossulariaceae
<i>Ribes roezli</i> var. <i>roezli</i>	Sierra Gooseberry	S	.	Grossulariaceae
<i>Ribes speciosum</i>	Fuchsia-flowered Gooseberry	S	.	Grossulariaceae
<i>Ribes velutinum</i>	Plateau Gooseberry	S	.	Grossulariaceae
<i>Rosa californica</i>	California Wild Rose	S	FAC+	Rosaceae
<i>Rosa woodsii</i> var. <i>ultramontana</i>	Interior Wild Rose	S	FAC-	Rosaceae
<i>Sagina decumbens</i> ssp. <i>occidentalis</i>	Western Pearlwort	AH	FAC*	Caryophyllaceae
<i>Sagina saginoides</i>	Arctic Pearlwort	AH	OBL	Caryophyllaceae
<i>Salix exigua</i>	Narrowleaf Willow	S	FACW	Salicaceae
<i>Salix lasiolepis</i> var. <i>lasiolepis</i>	Arroyo Willow	S/T	FACW	Salicaceae
<i>Salvia columbariae</i>	Chia	AH	.	Lamiaceae
<i>Sambucus mexicana</i>	Blue Elderberry	S	FAC	Caprifoliaceae
<i>Sarcodes sanguinea</i>	Snow Plant	PH	.	Ericaceae
<i>Scirpus microcarpus</i>	Small-fruited Bullrush	PH	OBL	Cyperaceae
<i>Senecio flaccidus</i> var. <i>douglasii</i>	Shrubby Butterweed	S	.	Asteraceae
<i>Sidalcea malvaeflora</i> ssp. <i>sparsifolia</i>	Few-leaved Globe Mallow	S	.	Malvaceae
<i>Silene bernardina</i>	Palmer Champion	PH	.	Caryophyllaceae
<i>Silene verecunda</i> ssp. <i>platyota</i>	Cuyamaca Champion	PH	.	Caryophyllaceae
<i>Sisymbrium altissimum</i> *	Tumble Mustard	AH	FACU	Brassicaceae
<i>Sisymbrium orientale</i> *	Indian Hedgemustard	AH	.	Brassicaceae
<i>Sisyrinchium bellum</i>	Blue-eyed Grass	PH	FAC	Iridaceae
<i>Solanum xantii</i> var. <i>xantii</i>	Chaparral Nightshade	S	.	Solanaceae
<i>Solidago californica</i>	California Goldenrod	PH	(FACU)	Asteraceae
<i>Solidago confinis</i>	Southern Goldenrod	PH	FAC	Asteraceae
<i>Solidago guiradonis</i>	Guirado Goldenrod	PH	.	Asteraceae
<i>Sonchus asper</i> ssp. <i>asper</i> *	Prickly Sow-thistle	AH	FAC	Asteraceae
<i>Sphenosciandium capitellatum</i>	Ranger Buttons	PH	OBL	Apiaceae
<i>Stachys albens</i>	Whitestem Hedgenettle	PH	OBL	Lamiaceae
<i>Stanleya pinnata</i>	Prince's Plume	S	.	Brassicaceae
<i>Stephanomeria cichoriacea</i>	Fort Tejon Milk-aster	PH	.	Asteraceae
<i>Stephanomeria exigua</i> ssp. <i>coronaria</i>	Small Stephanomeria	AH	.	Asteraceae
<i>Stephanomeria virgata</i> ssp. <i>virgata</i>	Twiggy Wreath Plant	AH	.	Asteraceae
<i>Swertia neglecta</i>	Parry Green Gentian	PH	.	Gentianaceae
<i>Swertia parryi</i>	Parry Gentian	PH	.	Gentianaceae
<i>Symphoricarpos rotundifolius</i> var. <i>parishii</i>	Parish Snowberry	S	.	Caprifoliaceae
<i>Tauschia parishii</i>	Parish Tauschia	PH	.	Apiaceae
<i>Thermopsis californica</i> var. <i>argentata</i>	Silvery False-lupine	PH	.	Fabaceae
<i>Thysanocarpus laciniatus</i>	Lace Pod	AH	.	Brassicaceae
<i>Trifolium cyathiferum</i>	Mountain or Cup Clover	AH	FACW	Fabaceae
<i>Trifolium gracilentum</i> var. <i>gracilentum</i>	Pinpoint Clover	AH	.	Fabaceae
<i>Trifolium monanthum</i> var. <i>monanthum</i>	Carpet Clover	PH	FACW	Fabaceae
<i>Trifolium montanum</i> var. <i>grantianum</i>	Carpet Clover	PH	FACW	Fabaceae
<i>Trifolium wormskioldii</i>	Cows Clover	PH	FACW	Fabaceae
<i>Triteleia dudleyi</i> ?	Dudley Tritelleia	PG	.	Themidaceae
<i>Uropappus lindleyi</i>	Silver Puffs	AH	.	Asteraceae
<i>Urtica dioica</i> ssp. <i>holosericea</i>	Giant Creek or Hoary Nettle	PH	FACW	Urticaceae
<i>Veratrum californicum</i> var. <i>californicum</i>	California False Hellebore	PH	OBL	Melantiaceae
<i>Veronica americana</i>	American Brooklime	PH	OBL	Plantaginaceae
<i>Veronica serpyllifolia</i> ssp. <i>humifusa</i>	Tyme-leaved Speedwell	AH	NI*	Plantaginaceae
<i>Viola macloskeyi</i>	White Violet	PH	OBL	Violaceae
<i>Viola pinetorum</i> ssp. <i>pinetorum</i>	Mountain Violet	PH	.	Violaceae
<i>Viola purpurea</i> ssp. <i>purpurea</i>	Mountain Violet	PH	.	Violaceae
<i>Viola sheltonii</i>	Shelton Violet	PH	.	Violaceae
<i>Zigadenus brevibracteatus</i>	Desert Zigadene	PG	.	Melanthiaceae

Notes: Scientific nomenclature follows Hickman (1993), Skinner and Pavlik (1994), Gordon-Reedy (1990), and Broich (1987).

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California

David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family
-----------------	-------------	-------	--------------------------------	--------

Common names follow Abrams and Ferris (1960), Neihaus and Ripper (1976), and DeGarmo (1980).

An "*" indicates non-native species which have become naturalized or persist without cultivation.

Habit definitions:

- AF = annual fern or fern ally.
- AG = annual grass.
- AH = annual herb.
- BH = biennial herb.
- PF = perennial fern or fern ally.
- PG = perennial grass.
- PH = perennial herb.
- PV = perennial vine.
- S = shrub.
- T = tree.

Wetland indicator status (Reed 1980): OBL = obligate wetland species, occurs almost always in wetlands (>99% probability)

FACW = facultative wetland species, usually found in wetlands (67-99% probability).

FAC = facultative species, equally likely to occur in wetlands or nonwetlands (34-67% probability).

FACU = facultative upland species, usually occur in nonwetlands (67-99% probability).

+ or - symbols are modifiers that indicate greater or lesser affinity for wetland habitats.

NI = no indicator has been assigned due to a lack of information to determine indicator status.

* = a tentative assignment to that indicator status by Reed (1980).

A period "." indicates that no wetland indicator status has been given in Reed (1980).

Parentheses around an indicator status indicates the wetland status as suggested by the author.