

Plants of Rose Valley, Ventura County

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Acer macrophyllum</i> var. <i>macrophyllum</i>	Bigleaf Maple	T	Aceraceae
<i>Acmispon wrangelianus</i>	Chile Lotus	AH	Fabaceae
<i>Acroptilon repens</i> *	Russian Knapweed	PH	Asteraceae
<i>Adenostoma fasciculatum</i> var. <i>fasciculatum</i>	Chamise	S	Rosaceae
<i>Adiantum capsillus-veneris</i>	Maidenhair Fern	PF	Pteridaceae
<i>Agoseris heterophylla</i> var. <i>heterophylla</i>	Mountain Dandelion	AH	Asteraceae
<i>Agrostis stolonifera</i>	Bluegrass	PG	Poaceae
<i>Aira caryophyllea</i> *	Silver European Hairgrass	AG	Poaceae
Allium diabolense	Diablo Onion	PG	Alliaceae
<i>Allium fimbriatum</i> var. <i>fimbriatum</i>	Fringed Onion	PG	Alliaceae
<i>Allophyllum glutinosum</i>	Sticky Allophyllum	AH	Polemoniaceae
<i>Alnus rhombifolia</i>	White Alder	T	Betulaceae
<i>Amaranthus albus</i> *	Pig Amaranth	AH	Amaranthaceae
<i>Amaranthus californicus</i>	California Amaranth	AH	Amaranthaceae
<i>Amorpha californica</i> var. <i>californica</i>	California False Indigo	S	Fabaceae
Ancistrocarphus filagineus	Woolly Fishhooks	AH	Asteraceae
<i>Apocynum cannabinum</i>	Indian Hemp	PH	Apocynaceae
<i>Aquilegia eximia</i>	Van Houtte Columbine	PH	Ranunculaceae
<i>Aquilegia formosa</i> var. <i>truncata</i>	Truncate Crimson Columbine	PH	Ranunculaceae
Arctostaphylos canescens	Hoary Manzanita	S	Ericaceae
<i>Arctostaphylos glandulosa</i> ssp. <i>glandulosa</i>	Eastwood Manzanita	S	Ericaceae
<i>Arctostaphylos glandulosa</i> ssp. <i>zacaensis</i>	Zaca Lake Manzanita	S	Ericaceae
<i>Arctostaphylos glauca</i>	Bigberry Manzanita	S	Ericaceae
<i>Artemisia douglasiana</i>	Mugwort	PH	Asteraceae
<i>Artemisia dracunculus</i>	Taragon	PH	Asteraceae
<i>Artemisia tridentata</i> var. <i>tridentata</i>	Great Basin Sagebrush	S	Asteraceae
<i>Artemisia tridentata</i> var. <i>vaseyana</i>	Vasey Great Basin Sagebrush	S	Asteraceae
<i>Asclepias fascicularis</i>	Narrowleaf Milkweed	AH	Apocynaceae
<i>Astragalus didymocarpus</i> var. <i>obispoensis</i>	San Luis Obispo Two-seeded Milkvetch	AH	Fabaceae
<i>Astragalus lentiginosus</i> var. <i>idriensis</i>	Spotted Locoweed	PH	Fabaceae
<i>Astragalus purshii</i> var. <i>tinctus</i>	Pursh Woollypod	PH	Fabaceae
<i>Barbarea orthoceras</i>	American Wintercress	BH	Brassicaceae
Boechera [Arabis] breweri var. breweri	Brewer Rockcress	PH	Brassicaceae
<i>Boechera arcuata</i>	Few-flowered Rockcress	PH	Brassicaceae
<i>Boykinia occidentalis</i>	Santa Lucia Brookfoam	PH	Saxifragaceae
<i>Brickellia nevinii</i>	Nevin's Brickellbush	S	Asteraceae
Brodiaea terrestris ssp. kernensis	Harvest Brodiaea	PG	Themidaceae
<i>Bromus arenarius</i> *	Australian Brome	PG	Poaceae
<i>Bromus diandrus</i> ssp. <i>diandrus</i> *	Ripgut Grass	AG	Poaceae
<i>Bromus hordeaceus</i> ssp. <i>hordeaceus</i> *	Soft Chess	AG	Poaceae
<i>Bromus madritensis</i> ssp. <i>rubens</i>	Red Brome	AG	Poaceae
<i>Bromus tectorum</i> var. <i>tectorum</i> *	Cheat Grass	AG	Poaceae
<i>Calochortus fimbriatus</i>	Late-flowered Mariposa Lily	PG	Liliaceae
<i>Calochortus splendens</i>	Splendid Mariposa Lily	PG	Liliaceae

Plants of Rose Valley, Ventura County

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Calystegia malacophylla</i> ssp. <i>pedicellata</i>	Sierra Morning-glory	PV	Convolvulaceae
<i>Camissonia bistorta</i>	California Sun-cup	AH	Onagraceae
<i>Camissonia boothii</i> var. <i>decorticans</i>	Booth Shredding Primrose	AH	Onagraceae
<i>Camissonia strigulosa</i>	Strigose Primrose	AH	Onagraceae
<i>Camissoniopsis hirtella</i>	Small-haired Primrose	AH	Onagraceae
<i>Cannabis sativa</i> *	Marijuana	AH	Cannabaceae
<i>Carex alma</i>	Sturdy Sedge	PG	Cyperaceae
<i>Castilleja subinclusa</i> ssp. <i>subinclusa</i>	Long-leaved Indian Paintbrush	PH	Orobanchaceae
<i>Ceanothus crassifolius</i> var. <i>crassifolius</i>	Snowball	S	Rhamnaceae
<i>Ceanothus crassifolius</i> var. <i>planus</i>	Flatleaf Snowball	S	Rhamnaceae
<i>Ceanothus integerrimus</i>	Deer Brush	S	Rhamnaceae
<i>Ceanothus leucodermis</i>	Whitethorn Ceanothus	S	Rhamnaceae
<i>Ceanothus palmeri</i>	Palmer Ceanothus	S	Rhamnaceae
<i>Centaurea melitensis</i> *	Tocalote	AH	Asteraceae
<i>Centaurea solstitialis</i> *	Yellow Star-thistle	AH	Asteraceae
<i>Ceratophyllum demersum</i>	Hornwort	PH	Ceratophyllaceae
<i>Cercocarpus betuloides betuloides</i>	Birchleaf Mountain Mahogany	S	Rosaceae
<i>Chaenactis glabriuscula</i> var. <i>glabriuscula</i>	Common Yellow Pincushion	AH	Asteraceae
<i>Chaenactis glabriuscula</i> var. <i>lanosa</i>	Woolly Yellow Pincushion	AH	Asteraceae
<i>Chamaesyce serpyllifolia</i> ssp. <i>serpyllifolia</i>	Thyme-leaved Spurge	AH	Euphorbiaceae
<i>Chamomilla suaveolens</i>	Pineapple Weed	AH	Asteraceae
<i>Cheilanthes clevelandii</i>	Cleveland Lip-fern	PF	Pteridaceae
<i>Cheilanthes covillei</i>	Coville Lip-fern	PF	Pteridaceae
<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	Soap Lily	PG	Agavaceae
<i>Chorizanthe clevelandii</i>	Cleveland Spineflower	AH	Boraginaceae
<i>Chorizanthe staticoides</i> var. <i>staticoides</i>	Turkish Rugging	AH	Boraginaceae
<i>Cirsium occidentale</i> var. <i>venustum</i>	Red Western Thistle	BH	Asteraceae
<i>Clarkia bottae</i>	Punchbowl Godetia	AH	Onagraceae
<i>Clarkia cylindrica</i> ssp. <i>cylindrica</i>	Cylindrical Clarkia	AH	Onagraceae
<i>Clarkia heterandra</i>	California Gaura	AH	Onagraceae
<i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i>	Four-spot Purple Farewell-to-Spring	AH	Onagraceae
<i>Clarkia rhomboidea</i>	Rhomboid Farewell-to-Spring	AH	Onagraceae
<i>Claytonia parviflora</i> ssp. <i>parviflora</i>	Small-flowered Miner's Lettuce	AH	Montiaceae
<i>Claytonia perfoliata</i> ssp. <i>perfoliata</i>	Miner's Lettuce	AH	Montiaceae
<i>Clematis lasiantha</i>	Pipstem Clematis	PV	Ranunculaceae
<i>Clematis ligusticifolia</i>	Virgin's Bower	PV	Ranunculaceae
<i>Cnicus benedictus</i> *	Blessed Thistle	PH	Asteraceae
<i>Collinsia parryi</i>	Parry Blue-eyed Mary	AH	Veronicaceae
<i>Cordylanthus rigidus</i> var. <i>rigidus</i>	Rigid Birds-beak	AH	Orobanchaceae
<i>Corethrogyne filaginifolia</i> var. <i>filaginifolia</i>	California Aster	PH	Asteraceae
<i>Cornus glabrata</i>	Brown Dogwood	S/T	Cornaceae
<i>Cryptantha clevelandii</i>	Cleveland Forget-Me-Not	AH	Boraginaceae
<i>Cryptantha intermedia</i>	Common Forget-Me-Not	AH	Boraginaceae
<i>Cryptantha microstachys</i>	Tejon Forget-Me-Not	AH	Boraginaceae

Plants of Rose Valley, Ventura County

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Cryptantha muricata</i>	Jones Prickly Forget-Me-Not	AH	Boraginaceae
<i>Cryptantha torreyana</i>	Torrey Forget-Me-Not	AH	Boraginaceae
<i>Cuscuta californica</i> var. <i>californica</i>	California Dodder	AV	Convolvulaceae
<i>Cystopteris fragilis</i>	Brittle Fern	PF	Dryopteridaceae
<i>Datisca glomerata</i>	Durango Root	PH	Datisceae
<i>Delphinium cardinale</i>	Scarlet Larkspur	PH	Ranunculaceae
<i>Delphinium parishii</i> ssp. <i>pallidum</i>	Pale-flowered Larkspur	PH	Ranunculaceae
<i>Delphinium parryi</i> ssp. <i>purpureum</i>	Mount Pinos Larkspur	PH	Ranunculaceae
<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	Blue Dicks	PH	Amaryllidiaceae
<i>Diplacus bolanderi</i>	Bolander Monkeyflower	AH	Phrymaceae
<i>Diplacus brevipes</i>	Short Monkeyflower	AH	Phrymaceae
<i>Dryopteris arguta</i>	Coastal Wood Fern	PF	Dryopteridaceae
<i>Dudleya cymosa</i> ssp. <i>cymosa</i>	Canyon Live-forever	PH	Crassulaceae
<i>Dudleya lanceolata</i>	Lanceleaf Live-forever	PH	Crassulaceae
<i>Eleocharis macrostachya</i>	Spike-rush	PG	Cyperaceae
<i>Eleocharis parishii</i>	Parish's Spike-rush	PG	Cyperaceae
<i>Elodea canadensis</i>	Common Waterweed	PH	Hydrocharitaceae
<i>Elymus elymoides</i> ssp. <i>elymoides</i>	Bottlebrush Squirreltail	PG	Poaceae
<i>Elymus glaucus</i>	Blue Ryegrass	PG	Poaceae
<i>Elymus triticoides</i> ssp. <i>triticoides</i>	Creeping Wild Rye	PG	Poaceae
<i>Emmenanthe penduliflora</i> var. <i>penduliflora</i>	Whispering Bells	AH	Boraginaceae
<i>Epilobium brachycarpum</i>	Panicled Willow-herb	AH	Onagraceae
<i>Epilobium canum</i> ssp. <i>canum</i>	California Fuchsia	PH	Onagraceae
<i>Epilobium canum</i> ssp. <i>latifolium</i>	Broadleaf California Fuchsia	PH	Onagraceae
<i>Ericameria cuneata</i> ssp. <i>spathulata</i>	Spatula-leaf Goldenbush	S	Asteraceae
<i>Ericameria nauseosa</i> ssp. _____	Rabbitbrush	S	Asteraceae
<i>Erigeron foliosus</i> var. <i>foliosus</i>	Leafy Fleabane	PH	Asteraceae
<i>Eriodictyon [Turricula] parryi</i>	Poodle-Dog-Bush	S	Boraginaceae
<i>Eriodictyon crassifolium</i> var. <i>crassifolium</i>	Thickleaf Yerba Santa	S	Boraginaceae
<i>Eriodictyon crassifolium</i> var. <i>nigrescens</i>	Thickleaf Yerba Santa	S	Boraginaceae
<i>Eriogonum cithariforme</i>	Cithariform Buckwheat	AH	Polygonaceae
<i>Eriogonum davidsonii</i>	Davidson's Buckwheat	AH	Polygonaceae
<i>Eriogonum fasciculatum</i> var. <i>foliolosum</i>	Leafy California Buckwheat	S	Polygonaceae
<i>Eriogonum fasciculatum</i> var. <i>polifolium</i>	Hoary California Buckwheat	S	Polygonaceae
<i>Eriogonum hirtiflorum</i>	Hairy-flower Buckwheat	AH	Polygonaceae
<i>Eriogonum inerme</i>	Unarmed Buckwheat	AH	Polygonaceae
<i>Eriogonum kennedyi</i> var. <i>kennedyi</i>	Kennedy Cushion Buckwheat	S	Polygonaceae
<i>Eriogonum nudum</i> var. <i>pauciflorum</i>	Tibinagua	PH	Polygonaceae
<i>Eriogonum nudum</i> var. <i>pubiflorum</i>	Hairy-flowered Barestem Buckwheat	PH	Polygonaceae
<i>Eriogonum parvifolium</i> var. <i>parvifolium</i>	Dune Buckwheat	S	Polygonaceae
<i>Eriogonum wrightii</i> var. <i>subscaposum</i>	Short-stem Bastard Sage	S	Polygonaceae
<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	Golden Yarrow	PH	Asteraceae
<i>Erodium botrys</i> *	Broadleaf Filaree	AH	Geraniaceae
<i>Erodium cicutarium</i> *	Redstem Filaree	AH	Geraniaceae

Plants of Rose Valley, Ventura County

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Erysimum capitatum</i> var. <i>capitatum</i>	Western Wallflower	BH	Brassicaceae
<i>Erythrantha guttata</i>	Common Streamside Monkeyflower	AH	Phrymaceae
<i>Frangula californica</i> ssp. <i>californica</i>	California Coffeeberry	S	Rhamnaceae
<i>Frangula californica</i> ssp. <i>tomentella</i>	Hoary Coffeeberry	S	Rhamnaceae
<i>Galium andrewsii</i> ssp. <i>andrewsii</i>	Pinemat	PH	Rubiaceae
<i>Galium angustifolium angustifolium</i>	Chaparral Bedstraw	PH	Rubiaceae
<i>Galium aparine</i>	Cleavers	AH	Rubiaceae
<i>Galium hallii</i>	Nodding Bedstraw	PH	Rubiaceae
<i>Garrya flavescens pallida</i>	Pallid Silk-tassel Bush	S	Garryaceae
<i>Garrya veatchii</i>	Veatch's Silk-tassel Bush	S	Garryaceae
<i>Gayophytum diffusum</i> ssp. <i>parviflorum</i>	Diffuse Gayphytum	AH	Onagraceae
<i>Gilia ochroleuca</i> ssp. <i>bizonata</i>	Desert Gilia	AH	Polemoniaceae
<i>Githopsis diffusa</i> ssp. <i>diffusa</i>	Southern Bluecup	AH	Campanulaceae
<i>Gnaphalium palustre</i>	Lowland Cudweed Everlasting	AH	Asteraceae
<i>Gutierrezia sarothrae</i>	Matchweed	S	Asteraceae
<i>Heteromeles arbutifolia</i>	Toyon	S	Rosaceae
<i>Heuchera abramsii</i>	Abrams Alumroot	PH	Saxifragaceae
<i>Heuchera caepistosa</i>	Urn-flowered Alumroot	PH	Saxifragaceae
<i>Hirschfeldia incana</i> *	Summer Mustard	PH	Brassicaceae
<i>Hordeum marinum</i> ssp. <i>gussoneanum</i> *	Mediterranean Barley	AG	Poaceae
<i>Horkelia rydbergii</i>	Rydberg Horkelia	PH	Rosaceae
<i>Hulsea vestita</i> ssp. <i>gabrielensis</i>	San Gabriel Hulsea	PH	Asteraceae
<i>Jonstonella</i> [<i>Cryptantha</i>] <i>micromeres</i>	Minute-flowered Forget-Me-Not	AH	Boraginaceae
<i>Juncus dubius</i>	Mariposa Rush	PG	Juncaceae
<i>Juncus effusus</i> ssp. <i>pacificus</i>	Pacific Rush	PG	Juncaceae
<i>Juncus macrophyllus</i>	Large-leaf Rush	PH	Juncaceae
<i>Juniperus californica</i>	California Juniper	S	Cupressaceae
<i>Keckiella ternata</i> var. <i>septentrionalis</i>	Blue-stemmed Bush Penstemon	S	Veronicaceae
<i>Lactuca serriola</i> *	Prickly Wild Lettuce	AH	Asteraceae
<i>Lagophylla ramosissima</i> ssp. <i>ramosissima</i>	Common Hareleaf	AH	Asteraceae
<i>Lathyrus vestitus vestitus</i> ?	Pacific Peavine	PV	Fabaceae
<i>Lepidium appelianum</i> [<i>Cardaria pubescens</i>] *	White-top	PH	Brassicaceae
<i>Lepidium campestre</i> *	Field Peppergrass	BH	Brassicaceae
<i>Lepidium dictyotum</i> var. <i>acutidens</i>	Short-toothed Peppergrass	AH	Brassicaceae
<i>Leptosiphon parviflorus</i>	Yellow Linanthus	AH	Polemoniaceae
<i>Leptosyne bigelovii</i>	Bigelow Coreopsis	AH	Asteraceae
<i>Lewisia rediviva</i> ssp. <i>minor</i>	Small Bitterroot	PH	Portulacaceae
<i>Lobelia dunnii</i> var. <i>serrata</i>	Rothrock Lobelia	PH	Lobeliaceae
<i>Lolium multiflorum</i> *	Italian Ryegrass	AG	Poaceae
<i>Lonicera interrupta</i>	Chaparral Honeysuckle	S	Caprifoliaceae
<i>Lonicera subspicata</i> var. <i>denudata</i>	Southern Honeysuckle	S	Caprifoliaceae
<i>Lupinus bicolor</i>	Bicolored Lupine	AH	Fabaceae
<i>Lupinus luteolus</i>	Butter Lupine	AH	Fabaceae
<i>Lupinus microcarpus</i> var. <i>microcarpus</i>	Red-flowered Lupine	AH	Fabaceae

Plants of Rose Valley, Ventura County

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Lupinus mircocarpus</i> var. <i>horizontalis</i>	Prostrate Red-flowered Lupine	AH	Fabaceae
<i>Lupinus succulentus</i>	Fleshy Lupine	AH	Fabaceae
<i>Madia elegans?</i>	Elegant Tarplant	AH	Asteraceae
<i>Malacothamnus fasciculatus</i> var. <i>nuttallii</i>	Nuttall Bushmallow	S	Malvaceae
<i>Malacothrix floccifera</i>	Woolly Dandelion	AH	Asteraceae
<i>Marah fabacea</i>	California Man-root	PV	Cucurbitaceae
<i>Marrubium vulgare</i> *	White Horehound	PH	Lamiaceae
<i>Melica imperfecta</i>	Coast Melic Grass	PG	Poaceae
<i>Melilotus alba</i> *	White Sweetclover	AH	Fabaceae
<i>Melilotus indica</i> *	Yellow Sweetclover	AH	Fabaceae
<i>Mentzelia dispersa</i>	Scattered Stickleaf	AH	Loasaceae
<i>Mentzelia laevicaulis</i>	Blazing Star	AH	Loasaceae
<i>Mentzelia micrantha</i>	Tiny-flowered Stickleaf	AH	Loasaceae
<i>Mentzelia pinetorum</i>	Pine Stickleaf	AH	Loasaceae
<i>Mimulus androsaceus</i>	Naked Sepal Monkeyflower	AH	Phrymaceae
<i>Mimulus cardinalis</i>	Scarlet Monkeyflower	PH	Phrymaceae
<i>Mimulus pilosus</i>	Downy Monkeyflower	AH	Phrymaceae
<i>Mimulus suksdorfii</i>	Suksdorf Monkeyflower	AH	Phrymaceae
<i>Minuartia pusilla</i>	Dwarf Sandwort	AH	Caryophyllaceae
<i>Monardella breweri</i> var. <i>breweri</i>	Brewer Coyote Mint	AH	Lamiaceae
<i>Monardella breweri</i> var. <i>lanceolata</i>	Mustang Mint	AH	Lamiaceae
<i>Nemacladus capillaris</i>	Threadleaf Nemacladus	AH	Campanulaceae
<i>Nemophila</i> cf. <i>pedunculata</i>	Little-foot Baby Blue-eyes	AH	Boraginaceae
<i>Nicotiana attenuata</i>	Indian Tobacco	AH	Solanaceae
<i>Notholithocarpus densiflorus</i>	Tanbark Oak	T	Fagaceae
<i>Oenothera elata</i> ssp. <i>hirsutissima</i>	Great Marsh Evening Primrose	BH	Onagraceae
<i>Pediomelum californicum</i>	California Indian Breadroot	PH	Fabaceae
<i>Pellaea andromedifolia</i>	Coffee Fern	PF	Pteridaceae
<i>Pellaea mucronata</i> ssp. <i>mucronata</i>	Birdsfoot Cliffbrake	PF	Pteridaceae
<i>Penstemon heterophyllus</i> var. <i>heterophyllus</i>	Foothill Penstemon	PH	Veronicaceae
<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	Goldenback Fern	PF	Pteridaceae
<i>Phacelia brachyloba</i>	Short-lobed Phacelia	AH	Boraginaceae
<i>Phacelia cicutaria</i> var. <i>hispida</i>	Hispid Caterpillar Phacelia	AH	Boraginaceae
<i>Phacelia imbricata?</i>	Rock Phacelia	PH	Boraginaceae
<i>Phacelia longipes</i>	Long-stalked Phacelia	AH	Boraginaceae
<i>Phoradendron bolleanum</i>	Fir Mistletoe	PH	Viscaceae
<i>Phragmites australis</i>	Common Reed	PG	Poaceae
<i>Pinus halepensis</i> *	Allepo Pine	T	Pinaceae
<i>Plagiobothrys canescens</i> var. <i>canescens</i>	Valley Popcornflower	AH	Boraginaceae
<i>Plantago lanceolata</i> *	Narrowleaf Plantain	PH	Plantaginaceae
<i>Poa secunda</i> ssp. <i>secunda</i>	One-sided Bluegrass	PG	Poaceae
<i>Polygonum aviculare</i> ssp. ? *	Door Weed	AH	Polygonaceae
<i>Polypodium californicum</i>	California Polypody Fern	PF	Polypodiaceae
<i>Polypogon monspeliensis</i> *	Rabbitsfoot Grass	AG	Poaceae

Plants of Rose Valley, Ventura County

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Polystichum imbricans</i> ssp. <i>curtum</i>	Imbricate Sword Fern	PF	Dryopteridaceae
<i>Populus fremontii</i> ssp. <i>fremontii</i>	Fremont Cottonwood	T	Salicaceae
<i>Prunus emarginata</i> ?	Bitter Cherry	S	Rosaceae
<i>Prunus ilicifolia</i> ssp. <i>ilicifolia</i>	Hollyleaf Cherry	S	Rosaceae
<i>Pseudotsuga macrocarpa</i>	Bigcone Spruce	T	Pinaceae
<i>Pterostegia drymarioides</i>	Fairy Mist	AH	Polygonaceae
<i>Quercus agrifolia</i> var. <i>agrifolia</i>	Coast Live Oak	T	Fagaceae
<i>Quercus berberidifolia</i>	California Scrub Oak	S	Fagaceae
<i>Quercus chrysolepis</i>	Canyon Live Oak	T	Fagaceae
<i>Quercus john-tuckeri</i>	Tucker Oak	S	Fagaceae
<i>Quercus wislizenii</i> var. <i>frutescens</i>	Shrubby Interior Live Oak	S	Fagaceae
<i>Quercus wislizenii</i> var. <i>wislizenii</i>	Interior Live Oak	T	Fagaceae
<i>Rhamnus ilicifolia</i>	Hollyleaf Redberry	S	Rhamnaceae
<i>Rhus trilobata</i> var. <i>quinata</i>	Squawbush	S	Anacardiaceae
<i>Ribes roezlii</i>	Sierra Gooseberry	S	Grossulariaceae
<i>Ribes speciosum</i>	Fuchsia-flowered Gooseberry	S	Grossulariaceae
<i>Rigiopappus leptocladus</i>	Rigiopappus	AH	Asteraceae
<i>Romneya trichocalyx</i>	Hairy Matilija Poppy	S	Papaveraceae
<i>Rosa californica</i>	California Rose	S	Rosaceae
<i>Rumex crispus</i> *	Curly Dock	PH	Polygonaceae
<i>Rumex salicifolius</i> ssp. <i>salicifolius</i>	Willow Dock	PH	Polygonaceae
<i>Ruppia cirrhosa</i>	Duck Weed	AH	Ruppiaceae
<i>Salix exigua</i>	Narrowleaf Willow	S	Salicaceae
<i>Salix laevigata</i>	Red Willow	T	Salicaceae
<i>Salix lasiolepis</i> var. <i>lasiolepis</i>	Arroyo Willow	T	Salicaceae
<i>Salvia columbariae</i>	Chia	AH	Lamiaceae
<i>Sambucus nigra</i> ssp. <i>caerulea</i>	Blue Elderberry	S	Caprifoliaceae
<i>Selaginella bigelovii</i>	Bigelow Spike-moss	PF	Selaginellaceae
<i>Silene lemmonii</i>	Lemmon Catchfly	AH	Caryophyllaceae
<i>Sisymbrium altissimum</i> *	Tumble Mustard	AH	Brassicaceae
<i>Solidago californica</i>	California Goldenrod	PH	Asteraceae
<i>Sonchus asper</i> ssp. <i>asper</i> *	Prickly Sow-thistle	AH	Asteraceae
<i>Stachys albens</i>	White Hedgenettle	PH	Lamiaceae
<i>Stephanomeria cichoriacea</i>	Fort Tejon Milk-aster	PH	Asteraceae
<i>Swertia neglecta</i>	Pine Green Gentian	PH	Gentianaceae
<i>Toxicodendron diversilobum</i>	Western Poison Oak	PV	Anacardiaceae
<i>Toxicoscordium</i> [<i>Zigadenus</i>] <i>fremontii</i>	Star Lily	PG	Liliaceae
<i>Trichostema lanatum</i>	Woolly Bluecurls	S	Lamiaceae
<i>Typha domingensis</i>	Narrowleaf Cattail	PH	Typhaceae
<i>Umbellularia californica</i> var. <i>californica</i>	California Bay	T	Lauraceae
<i>Verbena lasiostachys</i> var. <i>lasiostachys</i>	Western Verbena	AH	Verbenaceae
<i>Veronica anagallis-aquatica</i> *	Common Speedwell	PH	Veronicaceae
<i>Vulpia bromoides</i> *	Slender Fescue	AG	Poaceae
<i>Vulpia microstachys</i> var. <i>confusa</i>	Confusing Fescue	AG	Poaceae

Plants of Rose Valley, Ventura County
By David L. Magney

Botanical Name	Common Name	Habit Family
<i>Zeltnera exaltata</i>	Tall Centaury	AH Gentinaceae

Notes: Scientific nomenclature follows the Flora of North America Editorial Committee (1993-2011),

The Jepson Manual (2011), Gordon-Reedy (1990), and Broich (1987).

Most current taxomomy is followed when changed have occurred since publication of the above listed references.

Common names follow Abrams and Ferris (1960), Neihaus and Ripper (1976), and DeGarmo (1980).

An "*" indicates non-native taxa that have become naturalized or persist without cultivation.

Habit definitions:

AF = annual fern or fern ally.

PG = perennial grass or graminoid.

AG = annual grass or graminoid.

PH = perennial herb.

AH = annual herb.

PV = perennial vine.

BH = biennial herb.

S = shrub.

PF = perennial fern or fern ally.

T = tree.

Developed by David L. Magney 2005, updated 2014. Checklist may be used for educational and nonprofit purposes only.

Based on voucher specimens at one or more California public herbaria and direct observations by author.
